

An Introduction to knitr

Yihui Xie

September 4, 2012

The **knitr** package (Xie, 2012) is an alternative tool to Sweave based on a different design with more features. This document is not the real vignette, but only serves as a placeholder to guide you to the real manuals of this package. You can find them in the package website: <http://yihui.name/knitr¹>, and remember to read the help pages of functions in this package.

Anyway, here is a code chunk that shows you can compile vignettes with **knitr** as well by using a proper Makefile (see <http://yihui.name/knitr/demo/vignette/>):

```
rmnorm(5)

## [1] -0.1747  1.0812  1.0471  1.0539  1.5544

df = data.frame(y = rmnorm(100), x = 1:100)
summary(lm(y ~ x, data = df))

##
## Call:
## lm(formula = y ~ x, data = df)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.0990 -0.6924 -0.0536  0.6635  2.8433
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.04990    0.19029   0.26   0.79
## x          -0.00239    0.00327  -0.73   0.47
##
## Residual standard error: 0.944 on 98 degrees of freedom
## Multiple R-squared:  0.00544, Adjusted R-squared: -0.00471
## F-statistic: 0.536 on 1 and 98 DF,  p-value: 0.466
```

References

Xie Y (2012). *knitr: A general-purpose package for dynamic report generation in R*. R package version 0.7, URL <http://yihui.name/knitr/>.

¹e.g. the main manual: <https://github.com/downloads/yihui/knitr/knitr-manual.pdf> and the graphics manual: <https://github.com/downloads/yihui/knitr/knitr-graphics.pdf>