

Package ‘FSK2R’

February 25, 2022

Type Package

Title An Interface Between the 'FSKX' Standard and 'R'

Version 0.1.3

Description Functions for importing, creating, editing and exporting 'FSK' files <<https://foodrisklabs.bfr.bund.de/fskx-food-safety-knowledge-exchange-format/>> using the 'R' programming environment. Furthermore, it enables users to run simulations contained in the 'FSK' files and visualize the results.

License GPL-3

Encoding UTF-8

Imports XML (>= 3.98), purrr (>= 0.2.4), dplyr (>= 0.7.8), tibble (>= 2.0.0), tidyr (>= 0.7.2), rlang (>= 0.3.0.1), readxl (>= 1.3.1), readtext (>= 0.7.1), zip (>= 2.0.4), xml2 (>= 1.2.0), rjson (>= 0.2.20), shiny (>= 1.3.2), tools (>= 3.5.3), utils (>= 3.5.3), R.utils (>= 2.9.0)

Suggests knitr (>= 1.9), rmarkdown (>= 1.12), testthat

VignetteBuilder knitr

RoxygenNote 7.1.1

NeedsCompilation no

Author Alberto Garre [aut, cre],
Miguel de Alba Aparicio [aut],
Pablo S. Fernandez [aut],
Matthias Filter [aut]

Maintainer Alberto Garre <garre.alberto@gmail.com>

Repository CRAN

Date/Publication 2022-02-25 16:20:02 UTC

R topics documented:

| | |
|-------------------------------------|---|
| check_manifest_files | 3 |
| convert_metadata_to_lists | 3 |

| | |
|-------------------------------------|----|
| create_fsk | 4 |
| dataframe_to_list | 5 |
| export_fsk | 5 |
| export_manifest | 6 |
| export_metadata | 6 |
| export_modelmetadata | 7 |
| export_otherfiles | 7 |
| export_packages | 8 |
| export_readme | 8 |
| export_R_model | 9 |
| export_sbmlModel | 9 |
| export_simulation | 10 |
| export_visualization | 10 |
| find_packages | 11 |
| FSK_runner | 11 |
| get_background | 12 |
| get_general_info | 12 |
| get_modelmath | 13 |
| get_readme | 14 |
| get_scope | 14 |
| get_session_info | 15 |
| get_simulations | 15 |
| import_fsk | 16 |
| import_fsk_join | 16 |
| is.FSK2R | 17 |
| is_fsk_with_r | 17 |
| map_FSK_metadata | 18 |
| map_metadata_xml_template | 18 |
| metadata_list_to_fsk | 19 |
| n_simuls_fsk | 19 |
| read_fsk_json_metadata | 20 |
| read_fsk_manifest | 20 |
| read_fsk_metadata_excel | 21 |
| read_fsk_model | 21 |
| read_fsk_packages | 22 |
| read_fsk_rdf_metadata | 22 |
| read_fsk_readme | 23 |
| read_fsk_sim | 23 |
| read_other_files | 24 |
| read_R_model | 24 |
| read_visualization | 25 |
| run_all_simulations | 25 |
| run_simulation | 26 |
| set_new_simulation | 26 |
| set_readme | 27 |
| update_manifest | 27 |

check_manifest_files *Checks that the files defined in the manifest exist*

Description

Checks that the files defined in the manifest exist

Usage

```
check_manifest_files(my_manifest, file_dir)
```

Arguments

my_manifest A list with the contents of the manifest file.
file_dir Path to the directory where all the files have been extracted.

convert_metadata_to_lists
Fix the metadat so that it is lists

Description

Fix the metadat so that it is lists

Usage

```
convert_metadata_to_lists(my_metadata)
```

Arguments

my_metadata A list with the information in the GoogleSheet as generated by metadata_list_to_fsk.

`create_fsk`*Creates an FSK model from an existing R script*

Description

The model includes the R model. If provided as arguments, it also includes the visualization script and the README. Besides, it generates a typical `model_metadata`, as well as a simulation (without parameters). The manifest is left empty.

Usage

```
create_fsk(  
  r_model,  
  r_visualization = NULL,  
  readme = NULL,  
  other_files = NULL,  
  pkg_frame = NULL  
)
```

Arguments

| | |
|------------------------------|---|
| <code>r_model</code> | character with the path to the R script with the model. |
| <code>r_visualization</code> | (optional) character with the path to the R script with the visualization. |
| <code>readme</code> | (optional) path to README file. |
| <code>other_files</code> | (optional) character vector with the path to additional |
| <code>pkg_frame</code> | (optional) data.frame with 2 columns 'Package' files required by the model. |

Value

An instance of FSK2R.

Examples

```
model_path <- system.file("extdata", "model.r", package = "FSK2R")  
visualization_path <- system.file("extdata", "visualization.r", package = "FSK2R")  
FSK_from_R <- create_fsk(model_path, visualization_path)
```

| | |
|-------------------|---------------------------------------|
| dataframe_to_list | <i>Converts a dataframe to a list</i> |
|-------------------|---------------------------------------|

Description

This function is needed to convert the output format of rjson to the one used by FSK2R.

Usage

```
dataframe_to_list(this_frame)
```

Arguments

| | |
|------------|----------------------------------|
| this_frame | data.frame to convert to a list. |
|------------|----------------------------------|

| | |
|------------|--|
| export_fsk | <i>Exports an object of FSK class as an .fskx file</i> |
|------------|--|

Description

Exports an object of FSK class as an .fskx file

Usage

```
export_fsk(fsk_object, out_path, check = TRUE)
```

Arguments

| | |
|------------|---|
| fsk_object | The instance of FSK2R to be exported. |
| out_path | Path where the file is to be saved. |
| check | Whether checks are made. TRUE by default. |

Value

None

Examples

```
path_example <- system.file("extdata", "ToyModelv4.fskx", package = "FSK2R")
my_fsk <- import_fsk(path_example)
class(my_fsk)
export_fsk(my_fsk, out_path=file.path(tempdir(), "out.fskx"))
```

export_manifest *Functions for exporting the manifest of an FSK2R object*

Description

Functions for exporting the manifest of an FSK2R object

Usage

```
export_manifest(fsk_object, out_path, check = FALSE)
```

Arguments

| | |
|------------|---|
| fsk_object | The instance of FSK2R to be exported. |
| out_path | Path where the file is to be saved. |
| check | Whether checks are made. TRUE by default. |

export_metadata *Function for exporting the metadata of an FSK2R object*

Description

Function for exporting the metadata of an FSK2R object

Usage

```
export_metadata(fsk_object, out_path, check = FALSE)
```

Arguments

| | |
|------------|---|
| fsk_object | The instance of FSK2R to be exported. |
| out_path | Path where the file is to be saved. |
| check | Whether checks are made. TRUE by default. |

export_modelmetadata *Functions for exporting the model metadata of an FSK2R object*

Description

Functions for exporting the model metadata of an FSK2R object

Usage

```
export_modelmetadata(fsk_object, out_path, check = FALSE)
```

Arguments

| | |
|------------|---|
| fsk_object | The instance of FSK2R to be exported. |
| out_path | Path where the file is to be saved. |
| check | Whether checks are made. TRUE by default. |

export_otherfiles *Export other files*

Description

Export other files

Usage

```
export_otherfiles(fsk_object, out_path, check = FALSE)
```

Arguments

| | |
|------------|---|
| fsk_object | The instance of FSK2R to be exported. |
| out_path | Path where the file is to be saved. |
| check | Whether checks are made. TRUE by default. |

export_packages *Functions for exporting the packages of an FSK2R object*

Description

Functions for exporting the packages of an FSK2R object

Usage

```
export_packages(fsk_object, out_path, check = FALSE)
```

Arguments

| | |
|------------|---|
| fsk_object | The instance of FSK2R to be exported. |
| out_path | Path where the file is to be saved. |
| check | Whether checks are made. TRUE by default. |

export_readme *Functions for exporting the README of an FSK2R object*

Description

Functions for exporting the README of an FSK2R object

Usage

```
export_readme(fsk_object, out_path, check = FALSE)
```

Arguments

| | |
|------------|---|
| fsk_object | The instance of FSK2R to be exported. |
| out_path | Path where the file is to be saved. |
| check | Whether checks are made. TRUE by default. |

| | |
|----------------|---|
| export_R_model | <i>Functions for exporting the R model of an FSK2R object</i> |
|----------------|---|

Description

Functions for exporting the R model of an FSK2R object

Usage

```
export_R_model(fsk_object, out_path, check = FALSE)
```

Arguments

| | |
|------------|---|
| fsk_object | The instance of FSK2R to be exported. |
| out_path | Path where the file is to be saved. |
| check | Whether checks are made. TRUE by default. |

| | |
|------------------|------------------------------|
| export_sbmlModel | <i>Export the model.sbml</i> |
|------------------|------------------------------|

Description

Export the model.sbml

Usage

```
export_sbmlModel(fsk_object, out_path, check = FALSE)
```

Arguments

| | |
|------------|---|
| fsk_object | The instance of FSK2R to be exported. |
| out_path | Path where the file is to be saved. |
| check | Whether checks are made. TRUE by default. |

export_simulation *Export the sim.sedml*

Description

Export the sim.sedml

Usage

```
export_simulation(fsk_object, out_path, check = FALSE)
```

Arguments

| | |
|------------|---|
| fsk_object | The instance of FSK2R to be exported. |
| out_path | Path where the file is to be saved. |
| check | Whether checks are made. TRUE by default. |

export_visualization *Functions for exporting the visualization script of an FSK2R object*

Description

Functions for exporting the visualization script of an FSK2R object

Usage

```
export_visualization(fsk_object, out_path, check = FALSE)
```

Arguments

| | |
|------------|---|
| fsk_object | The instance of FSK2R to be exported. |
| out_path | Path where the file is to be saved. |
| check | Whether checks are made. TRUE by default. |

| | |
|----------------------------|--|
| <code>find_packages</code> | <i>Finds where packages are stored</i> |
|----------------------------|--|

Description

Finds where packages are stored

Usage

```
find_packages(pckgs)
```

Arguments

`pckgs` Character vector with packages names

Value

A list of packages locations. If one is not present, a `character(0)`.

| | |
|-------------------------|---------------------------|
| <code>FSK_runner</code> | <i>Startup FSK runner</i> |
|-------------------------|---------------------------|

Description

Starts FSK runner within RStudio.

Usage

```
FSK_runner()
```

Value

None

get_background *Returns the background of an FSK object*

Description

Returns the background of an FSK object

Usage

```
get_background(fsk_obj)
```

Arguments

fsk_obj An object of class FSK2R

Value

A nested list with the following entries:

- studyTitle
- studyDescription

Examples

```
path_example <- system.file("extdata", "ToyModelv4.fskx", package = "FSK2R")
my_fsk <- import_fsk(path_example)
get_background(my_fsk)
```

get_general_info *Returns the general info of an FSK object*

Description

Returns the general info of an FSK object

Usage

```
get_general_info(fsk_obj)
```

Arguments

fsk_obj An object of class FSK2R

Value

A nested list with the following entries:

- name
- source
- identifier
- creationDate
- rights
- language
- software
- creators
- reference

Examples

```
path_example <- system.file("extdata", "ToyModelv4.fskx", package = "FSK2R")
my_fsk <- import_fsk(path_example)
get_general_info(my_fsk)
```

| | |
|---------------|--|
| get_modelmath | <i>Returns the model math of an FSK object</i> |
|---------------|--|

Description

Returns the model math of an FSK object

Usage

```
get_modelmath(fsk_obj)
```

Arguments

fsk_obj An object of class FSK2R

Value

A nested list with the following entries:

- parameter

Examples

```
path_example <- system.file("extdata", "ToyModelv4.fskx", package = "FSK2R")
my_fsk <- import_fsk(path_example)
get_modelmath(my_fsk)
```

| | |
|------------|--------------------------------|
| get_readme | <i>Readme of an FSK object</i> |
|------------|--------------------------------|

Description

Readme of an FSK object

Usage

```
get_readme(fsk_obj)
```

Arguments

fsk_obj An object of class FSK2R

Value

A character vector with the text in the README file.

Examples

```
path_example <- system.file("extdata", "ToyModelv4.fskx", package = "FSK2R")
my_fsk <- import_fsk(path_example)
get_readme(my_fsk)
```

| | |
|-----------|---|
| get_scope | <i>Returns the scope of an FSK object</i> |
|-----------|---|

Description

Returns the scope of an FSK object

Usage

```
get_scope(fsk_obj)
```

Arguments

fsk_obj An object of class FSK2R

Value

A nested list with the following entries:

- product
- hazard

Examples

```
path_example <- system.file("extdata", "ToyModelv4.fskx", package = "FSK2R")
my_fsk <- import_fsk(path_example)
get_scope(my_fsk)
```

get_session_info *Extract session information*

Description

Extract session information

Usage

```
get_session_info()
```

Value

A list with 3 elements: r_version, platform and pckgs. The latter is a data.frame with two columns: package and version.

get_simulations *Returns a summary of the simulations of an FSK object (NULL)*

Description

The function is not in-use. It is kept here for compatibility with older versions.

Usage

```
get_simulations(fsk_obj)
```

Arguments

fsk_obj An object of class FSK2R

| | |
|------------|-----------------------------------|
| import_fsk | <i>Import an FSK model into R</i> |
|------------|-----------------------------------|

Description

Importst the file in file_path and transforms it into a list of class FSK2R.

Usage

```
import_fsk(file_path, check = FALSE)
```

Arguments

| | |
|-----------|--|
| file_path | Path where the file is located. |
| check | Whether checks are made. FALSE by default. |

Value

An instance of FSK2R.

Examples

```
path_example <- system.file("extdata", "ToyModelv4.fskx", package = "FSK2R")
my_fsk <- import_fsk(path_example)
get_general_info(my_fsk)
```

| | |
|-----------------|-------------------------------------|
| import_fsk_join | <i>Import of FSK with join node</i> |
|-----------------|-------------------------------------|

Description

Join nodes are not yet supported by FSK2R. It just gives an error message when called.

Usage

```
import_fsk_join(file_path, check = TRUE)
```

Arguments

| | |
|-----------|--|
| file_path | Path where the file is located. |
| check | Whether checks are made. FALSE by default. |

| | |
|----------|------------------------------------|
| is.FSK2R | <i>Is it an instance of FSK2R?</i> |
|----------|------------------------------------|

Description

Is it an instance of FSK2R?

Usage

```
is.FSK2R(object)
```

Arguments

| | |
|--------|-----------------|
| object | Object to check |
|--------|-----------------|

Value

A logical vector

Examples

```
path_example <- system.file("extdata", "ToyModelv4.fskx", package = "FSK2R")
my_fsk <- import_fsk(path_example)
is.FSK2R(my_fsk)
```

| | |
|---------------|---|
| is_fsk_with_r | <i>Does the object have an R model?</i> |
|---------------|---|

Description

Does the object have an R model?

Usage

```
is_fsk_with_r(fsk_obj)
```

Arguments

| | |
|---------|--------------------------|
| fsk_obj | An object of class FSK2R |
|---------|--------------------------|

Value

A logical vector.

Examples

```
path_example <- system.file("extdata", "ToyModelv4.fskx", package = "FSK2R")
my_fsk <- import_fsk(path_example)
is_fsk_with_r(my_fsk)
```

map_FSK_metadata *Map for the contents of the metadata*

Description

Maps the location (range) of different pieces of data within the Excel/Google Sheets template. It also includes the names of the sheets.

Usage

```
map_FSK_metadata(type_of_model = "generic", fsk_version = "1.04")
```

Arguments

`type_of_model` Type of model, as defined in the FSK-ML documentation. By default, 'generic'.
`fsk_version` Character stating the version of FSK-ML.

Value

A list with two components: the 'range' where each piece of information is stored and 'ws_name' with the name of the relevant sheet in the GoogleSheet template.

map_metadata_xml_template *Map between the names used in the template and the xml*

Description

Returns a map of the names used within the sheets of the Excel/GoogleSheets template and the ones in metadata.json.

Usage

```
map_metadata_xml_template()
```

metadata_list_to_fsk *From read_fsk_metadata_XX to FSK2R format*

Description

Converts the contents of the Excel/Google Sheets template into a list with the format of the FSK2R object.

Usage

```
metadata_list_to_fsk(my_metadata, fsk_version = "1.0.5")
```

Arguments

| | |
|-------------|------------------------------|
| my_metadata | A list generated by |
| fsk_version | Version of the FSK template. |

n_simuls_fsk *Number of simulations in the FSK2R object*

Description

Number of simulations in the FSK2R object

Usage

```
n_simuls_fsk(fsk_obj)
```

Arguments

| | |
|---------|----------------------|
| fsk_obj | An instance of FSK2R |
|---------|----------------------|

Value

An integer vector of length one.

Examples

```
path_example <- system.file("extdata", "ToyModelv4.fskx", package = "FSK2R")
my_fsk <- import_fsk(path_example)
n_simuls_fsk(my_fsk)
```

`read_fsk_json_metadata`*Read the metadata.json file*

Description

Read the metadata.json file

Usage

```
read_fsk_json_metadata(file_dir, check = FALSE, filename = "metaData.json")
```

Arguments

| | |
|-----------------------|---|
| <code>file_dir</code> | path to the file. |
| <code>check</code> | Whether to make checks. FALSE by default. |
| <code>filename</code> | Name of the file with the information (metaData.json by default). |

Value

A list with the contents of the metadata file.

`read_fsk_manifest`*Read the manifest of an FSK file and convert it to a data.frame*

Description

Read the manifest of an FSK file and convert it to a data.frame

Usage

```
read_fsk_manifest(file_dir, check = FALSE, filename = "manifest.xml")
```

Arguments

| | |
|-----------------------|--|
| <code>file_dir</code> | path to the file. |
| <code>check</code> | Whether to make checks. FALSE by default. |
| <code>filename</code> | Name of the file with the information (manifest.xml by default). |

Value

A data.frame with the contents of the xml file.

```
read_fsk_metadata_excel
    FSK metadata from local Excel file
```

Description

FSK metadata from local Excel file

Usage

```
read_fsk_metadata_excel(
  fsk_object,
  path,
  type_of_model = "generic",
  fsk_version = "1.0.5"
)
```

Arguments

| | |
|---------------|---|
| fsk_object | FSK2R object where to save the data |
| path | character describing the path to the file |
| type_of_model | character identifying the type of model |
| fsk_version | Character describing the version of FSK-ML ("1.04" by default). |

Value

A list with the information in the Excel file as generated by `metadata_list_to_fsk`.

```
read_fsk_model    Read the model.sbml
```

Description

Read the model.sbml

Usage

```
read_fsk_model(file_dir, check = FALSE, filename = "model.sbml")
```

Arguments

| | |
|----------|--|
| file_dir | path to the file. |
| check | Whether to make checks. FALSE by default. |
| filename | Name of the file with the information (model.sbml by default). |

Value

A list with the contents of the .xml file.

read_fsk_packages *Read the packages.json*

Description

Read the packages.json

Usage

```
read_fsk_packages(file_dir, check = FALSE, filename = "packages.json")
```

Arguments

| | |
|----------|---|
| file_dir | path to the file. |
| check | Whether to make checks. FALSE by default. |
| filename | Name of the file with the information (packages.json by default). |

Value

A list with the contents of the JSON file.

read_fsk_rdf_metadata *Read the metadata.rdf*

Description

Read the metadata.rdf

Usage

```
read_fsk_rdf_metadata(file_dir, check = FALSE, filename = "metadata.rdf")
```

Arguments

| | |
|----------|--|
| file_dir | path to the file. |
| check | Whether to make checks. FALSE by default. |
| filename | Name of the file with the information (metadata.rdf by default). |

Value

A list with the contents of the .xml file.

| | |
|-----------------|-----------------------------|
| read_fsk_readme | <i>Read the README file</i> |
|-----------------|-----------------------------|

Description

Read the README file

Usage

```
read_fsk_readme(file_dir, check = FALSE, filename = "README.txt")
```

Arguments

| | |
|----------|--|
| file_dir | path to the file. |
| check | Whether to make checks. FALSE by default. |
| filename | Name of the file with the information (README.txt by default). |

Value

A character string with the content of the README file.

| | |
|--------------|--------------------------------|
| read_fsk_sim | <i>Read the sim.sedml file</i> |
|--------------|--------------------------------|

Description

Read the sim.sedml file

Usage

```
read_fsk_sim(file_dir, check = FALSE, filename = "sim.sedml")
```

Arguments

| | |
|----------|---|
| file_dir | path to the file. |
| check | Whether to make checks. FALSE by default. |
| filename | Name of the file with the information (sim.sedml by default). |

Value

A list with the content of the xml file.

| | |
|------------------|---------------------------|
| read_other_files | <i>Read "other files"</i> |
|------------------|---------------------------|

Description

The R models may require further files that we can not predict. This functions just reads all the "unrecognized" files included in the manifest and copies them to the working directory.

Usage

```
read_other_files(my_tempdir, my_manifest, check = FALSE)
```

Arguments

| | |
|-------------|--|
| my_tempdir | Temporary directory to extract contents of the zyp file. |
| my_manifest | A list with the information in the manifest file |
| check | Whether checks are made. |

| | |
|--------------|--|
| read_R_model | <i>Reads the R model in an FSK model</i> |
|--------------|--|

Description

Reads the R model in an FSK model

Usage

```
read_R_model(file_dir, check = FALSE, filename = "model.R")
```

Arguments

| | |
|----------|---|
| file_dir | path to the file. |
| check | Whether to make checks. FALSE by default. |
| filename | Name of the file (model.R by default). |

Value

A character string with the contents of the R file.

read_visualization *Reads the visualization script in an FSK model*

Description

Reads the visualization script in an FSK model

Usage

```
read_visualization(file_dir, check = FALSE, filename = "visualization.R")
```

Arguments

file_dir path to the file.
check Whether to make checks. FALSE by default.
filename Name of the file with the information (visualization.R by default).

Value

A character string with the contents of the R file.

run_all_simulations *Run every simulation in an FSK object*

Description

Runs every simulation defined in the FSK object. This includes the ones originally included in the FSK container, as well as the ones added using `set_new_simulation()`.

Usage

```
run_all_simulations(fsk_object, run_visualization = FALSE)
```

Arguments

fsk_object Instance of FSK2R
run_visualization Whether to call the visualization script. FALSE by default.

Value

None

| | |
|----------------|--|
| run_simulation | <i>Run one simulation in an FSK object</i> |
|----------------|--|

Description

Runs the simulation corresponding to index. If defined, it also calls any visualization script.

Usage

```
run_simulation(fsk_object, index, run_visualization = FALSE)
```

Arguments

| | |
|-------------------|---|
| fsk_object | Instance of FSK2R |
| index | Index of the simulation |
| run_visualization | Whether to call the visualization script. FALSE by default. |

Value

None

| | |
|--------------------|---|
| set_new_simulation | <i>Define a new simulation in an FSK2R object</i> |
|--------------------|---|

Description

Sets a new simulation using the parameters defined in simulation_pars. The method updates all the relevant methods.

Usage

```
set_new_simulation(fsk_object, simulation_id, parameters)
```

Arguments

| | |
|---------------|---|
| fsk_object | Instance of FSK2R |
| simulation_id | A character with an id for the new simulation. |
| parameters | A list whose names are the parameters to modify and their values their values for the simulation. |

Value

An instance of FSK2R with the additional simulation data.

| | |
|------------|--------------------------------|
| set_readme | <i>Readme of an FSK object</i> |
|------------|--------------------------------|

Description

Readme of an FSK object

Usage

```
set_readme(fsk_object, readme_text)
```

Arguments

fsk_object An instance of FSK2R.
readme_text A character vector of length 1 with the content of the README file.

Value

An instance of FSK2R.

Examples

```
path_example <- system.file("extdata", "ToyModelv4.fskx", package = "FSK2R")  
my_fsk <- import_fsk(path_example)  
set_readme(my_fsk, "This is the README.")
```

| | |
|-----------------|----------------------------------|
| update_manifest | <i>Updates the manifest file</i> |
|-----------------|----------------------------------|

Description

Updates the manifest file

Usage

```
update_manifest(fsk_object)
```

Arguments

fsk_object An instance of FSK2R.

Index

check_manifest_files, 3
convert_metadata_to_lists, 3
create_fsk, 4

dataframe_to_list, 5

export_fsk, 5
export_manifest, 6
export_metadata, 6
export_modelmetadata, 7
export_otherfiles, 7
export_packages, 8
export_R_model, 9
export_readme, 8
export_sbmlModel, 9
export_simulation, 10
export_visualization, 10

find_packages, 11
FSK_runner, 11

get_background, 12
get_general_info, 12
get_modelmath, 13
get_readme, 14
get_scope, 14
get_session_info, 15
get_simulations, 15

import_fsk, 16
import_fsk_join, 16
is.FSK2R, 17
is_fsk_with_r, 17

map_FSK_metadata, 18
map_metadata_xml_template, 18
metadata_list_to_fsk, 19

n_simuls_fsk, 19

read_fsk_json_metadata, 20
read_fsk_manifest, 20
read_fsk_metadata_excel, 21
read_fsk_model, 21
read_fsk_packages, 22
read_fsk_rdf_metadata, 22
read_fsk_readme, 23
read_fsk_sim, 23
read_other_files, 24
read_R_model, 24
read_visualization, 25
run_all_simulations, 25
run_simulation, 26

set_new_simulation, 26
set_readme, 27

update_manifest, 27