

# Package ‘IsoplotRgui’

August 29, 2023

**Title** Web Interface to 'IsoplotR'

**Version** 5.4

**Date** 2023-08-28

**Description** Provides a graphical user interface to the 'IsoplotR' package for radiometric geochronology. The GUI runs in an internet browser and can either be used offline, or hosted on a server to provide online access to the 'IsoplotR' toolbox.

**Author** Pieter Vermeesch [aut, cre],  
Tim Band [ctb]

**Maintainer** Pieter Vermeesch <p.vermeesch@ucl.ac.uk>

**Depends** R (>= 3.0.0)

**Imports** IsoplotR (>= 5.4), shinylight (>= 1.1.2)

**License** GPL-3

**URL** <https://www.ucl.ac.uk/~ucfbpve/isoplotr/>,  
<https://github.com/pvermeesch/IsoplotRgui/>

**RoxygenNote** 7.2.1

**Encoding** UTF-8

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2023-08-28 22:00:12 UTC

## R topics documented:

daemon . . . . .	2
IsoplotR . . . . .	2
stopIsoplotR . . . . .	3
<b>Index</b>	<b>4</b>

---

daemon	<i>Start the IsoplotR GUI without exiting</i>
--------	---

---

**Description**

Opens a web-browser with a Graphical User Interface (GUI) for the IsoplotR package. This function is intended to be used from Rscript so that Rscript does not terminate and the server stays up.

**Usage**

```
daemon(port = NULL, host = "127.0.0.1", timeout = 30)
```

**Arguments**

port	Internet port of the virtual server. If not defined, a random free port will be chosen and the browser will be opened to show the GUI.
host	IP address of the virtual server
timeout	How long (in elapsed time) an operation may take before returning with a timeout error. Default: 30 seconds.

**Value**

This function does not return.

**Examples**

```
# this function runs indefinitely unless interrupted by the user.  
## Not run: daemon(3839)
```

---

IsoplotR	<i>Start the IsoplotR GUI</i>
----------	-------------------------------

---

**Description**

Opens a web-browser with a Graphical User Interface (GUI) for the IsoplotR package. An online version of the same interface is provided at <https://www.ucl.ac.uk/~ucfbpve/isoplotr/>

**Usage**

```
IsoplotR(  
  host = if (daemonize) "0.0.0.0" else "127.0.0.1",  
  port = NULL,  
  timeout = Inf,  
  daemonize = !is.null(port)  
)
```

**Arguments**

host	IP address of the virtual server, default is 0.0.0.0
port	Internet port of the virtual server. If not defined, a random free port will be chosen and the browser will be opened to show the GUI.
timeout	How long (in wall-clock time) an operation may take before returning with a timeout error. Default: no limit.
daemonize	logical. If TRUE, runs as daemon.

**Value**

server object

**Examples**

```
IsoplotR()
```

---

stopIsoplotR	<i>Stop an IsoplotR GUI</i>
--------------	-----------------------------

---

**Description**

Stop an IsoplotR GUI

**Usage**

```
stopIsoplotR(server = NULL)
```

**Arguments**

server The server (returned by `IsoplotRgui::IsoplotR()`) to stop. If not supplied all servers will be stopped.

**Examples**

```
s <- IsoplotR()
stopIsoplotR(s)
```

# Index

daemon, [2](#)

IsoplotR, [2](#)

stopIsoplotR, [3](#)