

Package ‘MetaNet’

March 25, 2024

Type Package

Title Network Analysis for Omics Data

Version 0.1.2

Description Comprehensive network analysis package.

Calculate correlation network fastly, accelerate lots of analysis by parallel computing.

Support for multi-omics data, search sub-nets fluently.

Handle bigger data, more than 10,000 nodes in each omics.

Offer various layout method for multi-omics network and some interfaces to other software ('Gephi', 'Cytoscape', 'ggplot2'), easy to visualize.

Provide comprehensive topology indexes calculation, including ecological network stability.

License GPL-3

Encoding UTF-8

RoxxygenNote 7.2.3

Depends R (>= 4.1.0), igraph (>= 1.3.5)

LazyData true

Imports graphics, dplyr, ggplot2 (>= 3.2.0), ggnewscale, ggrepel,
RColorBrewer, grDevices, magrittr, reshape2, stats, tibble,
utils, pcutils (>= 0.2.5), rlang

Suggests pheatmap, vegan, stringr, foreach, doSNOW, snow, knitr,
rmarkdown, prettydoc, Hmisc, gifski, ggraph, networkD3,
ggpmisc, ggtree, treeio, circlize, ggpibr

VignetteBuilder knitr

BugReports <https://github.com/Asa12138/MetaNet/issues>

URL <https://github.com/Asa12138/MetaNet>

ByteCompile true

biocViews DataImport, Network analysis, Omics, Software, Visualization

NeedsCompilation no

Author Chen Peng [aut, cre] (<<https://orcid.org/0000-0002-9449-7606>>)

Maintainer Chen Peng <pengchen2001@zju.edu.cn>

Repository CRAN

Date/Publication 2024-03-25 20:40:07 UTC

R topics documented:

anno_edge	4
anno_vertex	4
arc_count	5
arc_taxonomy	5
as.ggig	6
as_arc	6
as_circle_tree	7
as_line	7
as_polyarc	8
as_polycircle	9
as_polygon	9
cal_sim	10
check_tabs	11
clean_igraph	11
Cohesion	12
co_net	13
co_net2	13
co_net_rmt	13
c_net_annotation	14
c_net_build	15
c_net_calculate	16
c_net_filter	17
c_net_from_edgelist	18
c_net_layout	19
c_net_plot	20
c_net_save	22
c_net_set	23
c_net_stability	24
c_net_union	26
c_net_update	27
df2net_tree	27
extract_sub_net	28
fast_cor	29
filter_n_module	29
fit_power	31
get_community	31
get_e	32
get_group_skeleton	32
get_module	33
get_module_eigen	34
get_n	34
get_v	35
g_layout	35
g_layout_polygon	37
input_corr	38
input_gephi	39

is_metenet	39
links_stat	40
metab	41
metab_g	41
micro	41
micro_g	42
module_detect	42
module_eigen	43
module_net	44
multi1	45
multi_net_build	45
nc	46
netD3plot	47
net_par	48
olympic_rings_net	49
p.adjust.table	49
plot.ggig	50
plot.metenet	52
plot.rmt_res	53
plot.robust	53
plot.robustness	54
plot.vulnerability	54
print.cohesion	55
print.coors	55
print.corr	56
print.ggig	56
print.metenet	57
print.robust	57
print.robustness	58
print.vulnerability	58
rand_net	59
rand_net_par	59
RMT_threshold	60
show_MetaNet_logo	61
smallworldness	62
summary_module	62
summ_2col	63
to_module_net	64
transc	64
transc_g	65
twocol_edgelist	65
venn_net	66
zp_analyse	66

anno_edge*Use dataframe to annotate edges of an igraph***Description**

Use dataframe to annotate edges of an igraph

Usage

```
anno_edge(go, anno_tab, verbose = TRUE)
```

Arguments

go	metanet an igraph object
anno_tab	a dataframe using to annotate (with rowname or a name column)
verbose	logical

Value

a annotated igraph object

See Also

Other manipulate: [anno_vertex\(\)](#), [c_net_annotate\(\)](#), [c_net_filter\(\)](#), [c_net_save\(\)](#), [c_net_union\(\)](#), [get_e\(\)](#), [get_n\(\)](#), [get_v\(\)](#), [is_metanet\(\)](#)

Examples

```
data("c_net")
anno <- data.frame("from" = "s__Pelomonas_puraquae", "to" = "s__un_g__Rhizobium", new_atr = "new")
anno_edge(co_net, anno) -> anno_net
```

anno_vertex*Use data.frame to annotate vertexes of metanet***Description**

Use data.frame to annotate vertexes of metanet

Usage

```
anno_vertex(go, anno_tab, verbose = TRUE)
```

Arguments

go	metanet object
anno_tab	a dataframe using to annotate (with rowname or a "name" column)
verbose	logical

Value

a annotated metanet object

See Also

Other manipulate: [anno_edge\(\)](#), [c_net_annotate\(\)](#), [c_net_filter\(\)](#), [c_net_save\(\)](#), [c_net_union\(\)](#), [get_e\(\)](#), [get_n\(\)](#), [get_v\(\)](#), [is_metanet\(\)](#)

Examples

```
data("c_net")
data("otutab", package = "pcutils")
anno_vertex(co_net, taxonomy)
```

Description

Edgelist for `c_net_from_edgelist()`

Description

Edgelist for `c_net_from_edgelist()`

as.ggig *Transfer an igraph object to a ggig*

Description

Transfer an igraph object to a ggig

Usage

```
as.ggig(go, coors = NULL)
```

Arguments

go	igraph or meatnet
coors	coordinates for nodes,columns: name, X, Y

Value

ggig object

See Also

Other plot: [c_net_plot\(\)](#), [input_gephi\(\)](#), [netD3plot\(\)](#), [olympic_rings_net\(\)](#), [plot.ggig\(\)](#), [twocol_edgelist\(\)](#), [venn_net\(\)](#)

Examples

```
as.ggig(co_net, coors = c_net_layout(co_net)) -> ggig
plot(ggig)
as.ggig(multi1, coors = c_net_layout(multi1)) -> ggig
plot(ggig, labels_num = 0.3)
```

as_arc *Layout as a arc*

Description

Layout as a arc

Usage

```
as_arc(angle = 0, arc = pi)
```

Arguments

angle	anticlockwise rotation angle
arc	the radian of arc

Value

A two-column matrix, each row giving the coordinates of a vertex, according to the ids of the vertex ids.

See Also

Other layout: [as_circle_tree\(\)](#), [as_line\(\)](#), [as_polyarc\(\)](#), [as_polycircle\(\)](#), [as_polygon\(\)](#), [c_net_layout\(\)](#)

Examples

```
as_arc()(co_net)
c_net_plot(co_net, coors = as_arc(pi / 2), rescale = FALSE)
```

as_circle_tree *Layout as a circle_tree*

Description

Layout as a circle_tree

Usage

```
as_circle_tree()
```

Value

A two-column matrix, each row giving the coordinates of a vertex, according to the ids of the vertex ids.

See Also

Other layout: [as_arc\(\)](#), [as_line\(\)](#), [as_polyarc\(\)](#), [as_polycircle\(\)](#), [as_polygon\(\)](#), [c_net_layout\(\)](#)

as_line *Layout as a line*

Description

Layout as a line

Usage

```
as_line(angle = 0)
```

Arguments

<code>angle</code>	anticlockwise rotation angle
--------------------	------------------------------

Value

A two-column matrix, each row giving the coordinates of a vertex, according to the ids of the vertex ids.

See Also

Other layout: [as_arc\(\)](#), [as_circle_tree\(\)](#), [as_polyarc\(\)](#), [as_polycircle\(\)](#), [as_polygon\(\)](#), [c_net_layout\(\)](#)

Examples

```
as_line()(co_net)
c_net_plot(co_net, coors = as_line(pi / 2))
```

as_polyarc*Layout as a polyarc***Description**

Layout as a polyarc

Usage

```
as_polyarc(n = 3, space = pi/3)
```

Arguments

<code>n</code>	how many arcs of this poly弧
<code>space</code>	the space between each arc, default: $\pi/3$

Value

A two-column matrix, each row giving the coordinates of a vertex, according to the ids of the vertex ids.

See Also

Other layout: [as_arc\(\)](#), [as_circle_tree\(\)](#), [as_line\(\)](#), [as_polycircle\(\)](#), [as_polygon\(\)](#), [c_net_layout\(\)](#)

Examples

```
as_polyarc()(co_net)
```

as_polycircle *Layout as a polycircle*

Description

Layout as a polycircle

Usage

```
as_polycircle(n = 2)
```

Arguments

n how many circles of this polycircle

Value

A two-column matrix, each row giving the coordinates of a vertex, according to the ids of the vertex ids.

See Also

Other layout: [as_arc\(\)](#), [as_circle_tree\(\)](#), [as_line\(\)](#), [as_polyarc\(\)](#), [as_polygon\(\)](#), [c_net_layout\(\)](#)

Examples

```
as_polycircle()(co_net)
```

as_polygon *Layout as a polygon*

Description

Layout as a polygon

Usage

```
as_polygon(n = 3, line_curved = 0.5)
```

Arguments

n how many edges of this polygon

line_curved line_curved 0~0.5

Value

A two-column matrix, each row giving the coordinates of a vertex, according to the ids of the vertex ids.

See Also

Other layout: [as_arc\(\)](#), [as_circle_tree\(\)](#), [as_line\(\)](#), [as_polyarc\(\)](#), [as_polycircle\(\)](#), [c_net_layout\(\)](#)

Examples

```
as_polygon()(co_net)
```

cal_sim

Calculate similarity for one t(otutab)

Description

Calculate similarity for one t(otutab)

Usage

```
cal_sim(totu, method = "bray", norm = FALSE)
```

Arguments

totu	t(otutab), row are samples, column are features.
method	Dissimilarity index, see vegdist .
norm	hellinger normalization in features (default: FALSE).

Value

similarity = 1-distance

See Also

[vegdist](#)

Other calculate: [c_net_calculate\(\)](#), [fast_cor\(\)](#), [input_corr\(\)](#), [p.adjust.table\(\)](#)

Examples

```
if (requireNamespace("vegan")) {
  data("otutab", package = "pcutils")
  t(otutab) -> totu
  cal_sim(totu) -> sim_corr
}
```

`check_tabs`

Check tables and extract common samples

Description

Check tables and extract common samples

Usage

```
check_tabs(...)
```

Arguments

... tables

Value

formatted tables

Examples

```
data("otutab", package = "pcutils")
check_tabs(otutab)
```

`clean_igraph`

Clean a igraph object

Description

Clean a igraph object

Usage

```
clean_igraph(go, direct = TRUE)
```

Arguments

go igraph, metanet objects
direct direct?

Value

a igraph object

Cohesion*Cohesion calculation*

Description

Cohesion calculation

Plot cohesion

Usage

```
Cohesion(otutab, reps = 200, threads = 1, mycor = NULL, verbose = TRUE)

## S3 method for class 'cohesion'
plot(x, group, metadata, mode = 1, ...)
```

Arguments

otutab	otutab
reps	iteration time
threads	threads
mycor	a correlation matrix you want to use, skip the null model build when mycor is not NULL, default: NULL
verbose	verbose
x	Cohesion() result (cohesion object)
group	group name in colnames(metadata)
metadata	metadata
mode	plot mode, 1~2
...	additional arguments for group_box (mode=1) or group_box (mode=2)

Value

Cohesion object: a list with two dataframe

a ggplot

References

Herren, C. M. & McMahon, K. (2017) Cohesion: a method for quantifying the connectivity of microbial communities. doi:10.1038/ismej.2017.91.

Examples

```
data("otutab", package = "pcutils")
# set reps at least 99 when you run.
Cohesion(otutab[1:50, ], reps = 19) -> cohesion_res
if (requireNamespace("ggpubr")) {
  plot(cohesion_res, group = "Group", metadata = metadata, mode = 1)
  plot(cohesion_res, group = "Group", metadata = metadata, mode = 2)
}
```

co_net*MetaNet networks*

Description

MetaNet co_nets

co_net2*MetaNet networks*

Description

MetaNet co_nets

co_net_rmt*MetaNet networks*

Description

MetaNet co_nets

c_net_annotate *Annotate a metanet*

Description

Annotate a metanet

Usage

```
c_net_annotate(go, anno_tab, mode = "v", verbose = TRUE)
```

Arguments

go	metanet object
anno_tab	a dataframe using to annotate (mode v, e), or a list (mode n)
mode	"v" for vertex, "e" for edge, "n" for network
verbose	logical

Value

a annotated metanet object

See Also

Other manipulate: [anno_edge\(\)](#), [anno_vertex\(\)](#), [c_net_filter\(\)](#), [c_net_save\(\)](#), [c_net_union\(\)](#), [get_e\(\)](#), [get_n\(\)](#), [get_v\(\)](#), [is_metanet\(\)](#)

Examples

```
data("c_net")
anno <- data.frame("name" = "s__Pelomonas_puraquae", new_atr = "new")
co_net_new <- c_net_annotate(co_net, anno, mode = "v")
get_v(co_net_new, c("name", "new_atr"))

anno <- data.frame("from" = "s__Pelomonas_puraquae", "to" = "s__un_g__Rhizobium", new_atr = "new")
co_net_new <- c_net_annotate(co_net, anno, mode = "e")
get_e(co_net_new, c("from", "to", "new_atr"))

co_net_new <- c_net_annotate(co_net, list(new_atr = "new"), mode = "n")
get_n(co_net_new)
```

c_net_build	<i>Construct a metanet from a corr object</i>
-------------	---

Description

Construct a metanet from a corr object

Usage

```
c_net_build(  
  corr,  
  r_threshold = 0.6,  
  p_threshold = 0.05,  
  use_p_adj = TRUE,  
  delete_single = TRUE  
)
```

Arguments

corr	corr object from c_net_calculate() or input_corr().
r_threshold	r_threshold (default: >0.6).
p_threshold	p_threshold (default: <0.05).
use_p_adj	use the p.adjust instead of p.value (default: TRUE), if p.adjust not in the corr object, use p.value.
delete_single	should delete single vertexes?

Value

an metanet object

See Also

Other build: [c_net_from_edgelist\(\)](#), [c_net_set\(\)](#), [c_net_update\(\)](#), [multi_net_build\(\)](#)

Examples

```
data("otutab", package = "pcutils")  
t(otutab) -> totu  
metadata[, 3:10] -> env  
c_net_calculate(totu) -> corr  
c_net_build(corr, r_threshold = 0.65) -> co_net  
  
c_net_calculate(totu, env) -> corr2  
c_net_build(corr2) -> co_net2
```

<code>c_net_calculate</code>	<i>Calculate correlation for one or two t(otutab), or distance for one t(otutab).</i>
------------------------------	---

Description

Calculate correlation for one or two t(otutab), or distance for one t(otutab).

Usage

```
c_net_calculate(
  totu,
  totu2 = NULL,
  method = "spearman",
  filename = FALSE,
  p.adjust.method = NULL,
  p.adjust.mode = "all",
  threads = 1,
  verbose = TRUE
)
```

Arguments

<code>totu</code>	t(otutab), row are samples, column are features.
<code>totu2</code>	t(otutab2) or NULL, row are samples, column are features.
<code>method</code>	"spearman" (default), "pearson", "sparcc", or distance index from vegdist .
<code>filename</code>	the prefix of saved .corr file or FALSE.
<code>p.adjust.method</code>	see p.adjust
<code>p.adjust.mode</code>	see p.adjust.table
<code>threads</code>	threads, default: 1.
<code>verbose</code>	verbose, default: TRUE.

Value

a corr object with 3 elements:

<code>r</code>	default: spearman correlation
<code>p.value</code>	default: p-value of spearman correlation
<code>p.adjust</code>	default p.adjust.method = NULL

See Also

Other calculate: [cal_sim\(\)](#), [fast_cor\(\)](#), [input_corr\(\)](#), [p.adjust.table\(\)](#)

Examples

```
data("otutab", package = "pcutils")
t(otutab) -> totu
c_net_calculate(totu) -> corr
metadata[, 3:10] -> env
c_net_calculate(totu, env) -> corr2
```

c_net_filter

Filter a network according to some attributes

Description

Filter a network according to some attributes

Usage

```
c_net_filter(go, ..., mode = "v")
```

Arguments

go	metanet object
...	some attributes of vertex and edge
mode	"v" or "e"

Value

metanet

See Also

Other manipulate: [anno_edge\(\)](#), [anno_vertex\(\)](#), [c_net_annotation\(\)](#), [c_net_save\(\)](#), [c_net_union\(\)](#), [get_e\(\)](#), [get_n\(\)](#), [get_v\(\)](#), [is_metanet\(\)](#)

Examples

```
data("multi_net")
c_net_filter(multi1, v_group %in% c("omic1", "omic2"))
```

`c_net_from_edgelist` *Construct a network from edge_list dataframe*

Description

Construct a network from edge_list dataframe

Usage

```
c_net_from_edgelist(
  edgelist,
  vertex = NULL,
  direct = FALSE,
  e_type = NULL,
  e_class = NULL
)
```

Arguments

<code>edgelist</code>	first is source, second is target, others are annotation
<code>vertex</code>	vertex metadata
<code>direct</code>	logical
<code>e_type</code>	set <code>e_type</code>
<code>e_class</code>	set <code>e_class</code>

Value

`metanet`

See Also

Other build: `c_net_build()`, `c_net_set()`, `c_net_update()`, `multi_net_build()`

Examples

```
data(edgelist)
edge_net <- c_net_from_edgelist(arc_count, vertex = arc_taxonomy)
edge_net <- c_net_set(edge_net, vertex_class = "Phylum", edge_width = "n")
c_net_plot(edge_net)
```

c_net_layout	<i>Layout coordinates</i>
--------------	---------------------------

Description

Layout coordinates

Usage

```
c_net_layout(
  go,
  method = igraph::nicely(),
  order_by = NULL,
  order_ls = NULL,
  seed = 1234,
  line_curved = 0.5,
  ...
)
```

Arguments

go	igraph or metanet
method	(1) as_line(), as_arc(), as_polygon(), as_polyarc(), as_polycircle(), as_circle_tree(); (2) as_star(), as_tree(), in_circle(), nicely(), on_grid(), on_sphere(), randomly(), with_dh(), with_fr(), with_gem(), with_graphopt(), with_kk(), with_lgl(), with_mds(), see layout_ ; (3) a character, "auto", "backbone", "centrality", "circlepack", "dendrogram", "eigen", "focus", "hive", "igraph", "linear", "manual", "matrix", "partition", "pmds", "stress", "treemap", "unroot" see create_layout
order_by	order nodes according to a node attribute
order_ls	manual the discrete variable with a vector, or continuous variable with "desc" to decreasing
seed	random seed
line_curved	consider line curved, only for some layout methods like as_line(), as_polygon().default:0
...	add

Value

coors object: coordinates for nodes, columns: name, X, Y; curved for edges, columns: from, to, curved;

See Also

Other layout: [as_arc\(\)](#), [as_circle_tree\(\)](#), [as_line\(\)](#), [as_polyarc\(\)](#), [as_polycircle\(\)](#), [as_polygon\(\)](#)

Examples

```
library(igraph)
c_net_layout(co_net) -> coors
c_net_plot(co_net, coors)
c_net_plot(co_net, c_net_layout(co_net, in_circle()), vertex.size = 2)
c_net_plot(co_net, c_net_layout(co_net, in_circle()), order_by = "v_class"), vertex.size = 2)
c_net_plot(co_net, c_net_layout(co_net, in_circle()), order_by = "size", order_ls = "desc"))
c_net_plot(co_net, c_net_layout(co_net, as_polygon(3)))
```

c_net_plot

Plot a metanet

Description

Plot a metanet

Usage

```
c_net_plot(
  go,
  coors = NULL,
  ...,
  labels_num = 5,
  vertex_size_range = NULL,
  edge_width_range = NULL,
  plot_module = FALSE,
  mark_module = FALSE,
  mark_color = NULL,
  mark_alpha = 0.3,
  module_label = FALSE,
  module_label_cex = 2,
  module_label_color = "black",
  module_label_just = c(0.5, 0.5),
  legend = TRUE,
  legend_number = FALSE,
  legend_cex = 1,
  legend_position = c(left_leg_x = -2, left_leg_y = 1, right_leg_x = 1.2, right_leg_y =
    1),
  group_legend_title = NULL,
  group_legend_order = NULL,
  color_legend = TRUE,
  color_legend_order = NULL,
  size_legend = FALSE,
  size_legend_title = "Node Size",
  edge_legend = TRUE,
  edge_legend_title = "Edge type",
  edge_legend_order = NULL,
```

```

width_legend = FALSE,
width_legend_title = "Edge width",
lty_legend = FALSE,
lty_legend_title = "Edge class",
lty_legend_order = NULL,
seed = 1234
)

```

Arguments

go	an igraph or metanet object
coors	the coordinates you saved
...	additional parameters for igraph.plotting
labels_num	show how many labels,>1 indicates number,<1 indicates fraction, "all" indicates all, default:5
vertex_size_range	the vertex size range, e.g. c(1,10)
edge_width_range	the edge width range, e.g. c(1,10)
plot_module	logical, plot module?
mark_module	logical, mark the modules?
mark_color	mark colors
mark_alpha	mark fill alpha, default 0.3
module_label	module_label
module_label_cex	module_label_cex
module_label_color	module_label_color
module_label_just	module_label_just
legend	all legends
legend_number	legend with numbers
legend_cex	character expansion factor relative to current par("cex"), default: 1
legend_position	legend_position, default: c(left_leg_x=-1.9,left_leg_y=1,right_leg_x=1.2,right_leg_y=1)
group_legend_title	group_legend_title, length must same to the numbers of v_group
group_legend_order	group_legend_order vector
color_legend	logical
color_legend_order	color_legend_order vector
size_legend	logical

```

size_legend_title
    size_legend_title
edge_legend      logical
edge_legend_title
    edge_legend_title
edge_legend_order
    edge_legend_order vector, e.g. c("positive","negative")
width_legend     logical
width_legend_title
    width_legend_title
lty_legend       logical
lty_legend_title
    lty_legend_title
lty_legend_order
    lty_legend_order
seed             random seed, default:1234, make sure each plot is the same.

```

Value

a network plot

See Also

Other plot: [as.ggig\(\)](#), [input_gephi\(\)](#), [netD3plot\(\)](#), [olympic_rings_net\(\)](#), [plot.ggig\(\)](#), [twocol_edgelist\(\)](#), [venn_net\(\)](#)

Examples

```

data("c_net")
c_net_plot(co_net)
c_net_plot(co_net2)
c_net_plot(multi1)

```

c_net_save

Save network file

Description

Save network file

Usage

```
c_net_save(go, filename = "net", format = "data.frame")
```

Arguments

go	metanet network
filename	filename
format	"data.frame","graphml"

Value

No value

See Also

Other manipulate: [anno_edge\(\)](#), [anno_vertex\(\)](#), [c_net_annotation\(\)](#), [c_net_filter\(\)](#), [c_net_union\(\)](#), [get_e\(\)](#), [get_n\(\)](#), [get_v\(\)](#), [is_metanet\(\)](#)

c_net_set

Set basic attributes from totu table

Description

Set basic attributes from totu table

Usage

```
c_net_set(
  go,
  ...,
  vertex_group = "v_group",
  vertex_class = "v_class",
  vertex_size = "size",
  edge_type = "e_type",
  edge_class = "e_class",
  edge_width = "width",
  node_break = 5,
  edge_break = 5
)
```

Arguments

go	metanet an igraph object
...	some data.frames to annotate go
vertex_group	choose which column to be vertex_group (map to vertex_shape)
vertex_class	choose which column to be vertex_class (map to vertex_color)
vertex_size	choose which column to be vertex_size (map to vertex_size)
edge_type	choose which column to be edge_type (map to edge_color)
edge_class	choose which column to be edge_class (map to edge_linetype)

<code>edge_width</code>	choose which column to be edge_width (map to edge_width)
<code>node_break</code>	node_break if v_class is numeric, default: 5
<code>edge_break</code>	edge_break if e_type is numeric, default: 5

Value

a metanet object

See Also

Other build: [c_net_build\(\)](#), [c_net_from_edgelist\(\)](#), [c_net_update\(\)](#), [multi_net_build\(\)](#)

Examples

```
data("otutab", package = "pcutils")
t(otutab) -> totu
metadata[, 3:10] -> env

data("c_net")
co_net <- c_net_set(co_net, taxonomy, data.frame("Abundance" = colSums(totu)),
  vertex_class = "Phylum", vertex_size = "Abundance"
)
co_net2 <- c_net_set(co_net2, taxonomy, data.frame(name = colnames(env), env = colnames(env)),
  vertex_class = c("Phylum", "env")
)
co_net2 <- c_net_set(co_net2, data.frame("Abundance" = colSums(totu)), vertex_size = "Abundance")
```

c_net_stability *Evaluate the stability of a network*

Description

$$Vi = \frac{E - E_i}{E}$$

E is the global efficiency and E_i is the global efficiency after the removal of the node i and its entire links.

Usage

```
c_net_stability(
  go_ls,
  mode = "robust_test",
  partial = 0.5,
  step = 10,
  reps = 9,
  threads = 1,
  verbose = TRUE,
```

```

keystone = FALSE
)

robust_test(
  go_ls,
  partial = 0.5,
  step = 10,
  reps = 9,
  threads = 1,
  verbose = TRUE
)

vulnerability(go_ls, threads = 1, verbose = TRUE)

robustness(go_ls, keystone = FALSE, reps = 9, threads = 1, verbose = TRUE)

```

Arguments

go_ls	an igraph object or igraph list.
mode	"robust_test", "vulnerability", "robustness"
partial	how much percent vertexes be removed in total (default: 0.5, only for robust_test)
step	how many nodes be removed each time? (default: 10, only for robust_test)
reps	simulation number (default: 9)
threads	threads
verbose	verbose
keystone	remove 70% keystones instead of remove 50% nodes (default: False, only for robustness)

Value

- a data.frame
- data.frame (robustness class)
- a vector

Examples

```

data("c_net")
if (requireNamespace("ggpmisc")) {
  c_net_stability(co_net, mode = "robust_test", step = 20, reps = 9) -> robust_res
  plot(robust_res, index = "Average_degree", mode = 2)
}

c_net_stability(co_net, mode = "vulnerability") -> vulnerability_res
plot(vulnerability_res)

robustness(co_net) -> robustness_res

```

```

plot(robustness_res)

module_detect(co_net) -> co_net_modu
zp_analyse(co_net_modu, mode = 2) -> co_net_modu

c_net_stability(co_net_modu, mode = "robustness", keystone = TRUE) -> robustness_res
plot(robustness_res)

```

c_net_union*Union two networks***Description**

Union two networks

Usage

```
c_net_union(go1, go2)
```

Arguments

go1	metanet object
go2	metanet object

Value

metanet

See Also

Other manipulate: [anno_edge\(\)](#), [anno_vertex\(\)](#), [c_net_annotate\(\)](#), [c_net_filter\(\)](#), [c_net_save\(\)](#), [get_e\(\)](#), [get_n\(\)](#), [get_v\(\)](#), [is_metanet\(\)](#)

Examples

```

data("c_net")
co_net_union <- c_net_union(co_net, co_net2)
c_net_plot(co_net_union)

```

c_net_update	<i>Update a metanet object or transform igraph object to metanet object</i>
--------------	---

Description

Update a metanet object or transform igraph object to metanet object

Usage

```
c_net_update(go, node_break = 5, edge_break = 5)
```

Arguments

go	a metanet object or igraph object
node_break	node_break if v_class is numeric, default: 5
edge_break	edge_break if e_type is numeric, default: 5

Value

metanet

See Also

Other build: [c_net_build\(\)](#), [c_net_from_edgelist\(\)](#), [c_net_set\(\)](#), [multi_net_build\(\)](#)

df2net_tree	<i>Transform a dataframe to a network edgelist.</i>
-------------	---

Description

Transform a dataframe to a network edgelist.

Usage

```
df2net_tree(test, fun = sum)
```

Arguments

test	df
fun	default: sum

Value

metanet

Examples

```
data("otutab", package = "pcutools")
cbind(taxonomy, num = rowSums(otutab))[1:20, ] -> test
df2net_tree(test) -> ttt
plot(ttt)
if (requireNamespace("ggraph")) plot(ttt, coors = as_circle_tree())
```

extract_sub_net *Extract sub-network from the whole network*

Description

Extract sub-network from the whole network

Usage

```
extract_sub_net(
  whole_net,
  otutab,
  threads = 1,
  save_net = FALSE,
  fast = TRUE,
  verbose = TRUE
)
```

Arguments

whole_net	the whole network
otutab	otutab, these columns will be extract
threads	threads, default: 1
save_net	should save these sub_nets? FALSE or a filename
fast	less indexes for faster calculate ?
verbose	verbose

Value

a dataframe contains all sub_net parameters

See Also

Other topological: [fit_power\(\)](#), [get_group_skeleton\(\)](#), [links_stat\(\)](#), [nc\(\)](#), [net_par\(\)](#), [rand_net_par\(\)](#), [rand_net\(\)](#), [smallworldness\(\)](#)

Examples

```
data(otutab, package = "pcutools")
extract_sub_net(co_net, otutab) -> sub_net_pars
```

fast_cor	<i>Fast correlation calculation</i>
----------	-------------------------------------

Description

Fast correlation calculation

Usage

```
fast_cor(totu, totu2 = NULL, method = c("pearson", "spearman"))
```

Arguments

totu	t(otutab), row are samples, column are features.
totu2	t(otutab) or NULL, row are samples, column are features.
method	"spearman" or "pearson"

Value

a list with 2 elements:

r	default: spearman correlation
p.value	default: p-value of spearman correlation

See Also

Other calculate: [c_net_calculate\(\)](#), [cal_sim\(\)](#), [input_corr\(\)](#), [p.adjust.table\(\)](#)

Examples

```
data("otutab", package = "pcutils")
t(otutab[1:100, ]) -> totu
fast_cor(totu, method = "spearman") -> corr
```

filter_n_module	<i>Filter some modules as others</i>
-----------------	--------------------------------------

Description

Filter some modules as others

Combine or cut modules to module_number

Plot module tree

Usage

```
filter_n_module(go_m, n_node_in_module = 0, keep_id = NULL, delete = FALSE)

combine_n_module(go_m, module_number = 5)

plot_module_tree(go_m, module = "module", community = NULL, label.size = 2)
```

Arguments

go_m	module metanet
n_node_in_module	transfer the modules less than n_node_in_module to "others"
keep_id	keep modules ids, will not be "others"
delete	logical, delete others modules? default:FALSE, the others module will be "others".
module_number	number of modules
module	which column name is module. default: "module"
community	community object, default: NULL, use the community of go_m
label.size	label.size

Value

metanet with modules

ggplot

See Also

Other module: [get_community\(\)](#), [get_module_eigen\(\)](#), [get_module\(\)](#), [module_detect\(\)](#), [module_eigen\(\)](#), [module_net\(\)](#), [summary_module\(\)](#), [to_module_net\(\)](#), [zp_analyse\(\)](#)

Examples

```
data("c_net")
module_detect(co_net) -> co_net_modu
filter_n_module(co_net_modu, n_node_in_module = 30) -> co_net_modu
if (requireNamespace("ggtree") && requireNamespace("treeio")) plot_module_tree(co_net_modu)
combine_n_module(co_net_modu, 20) -> co_net_modu1
if (requireNamespace("ggtree") && requireNamespace("treeio")) plot_module_tree(co_net_modu1)
```

fit_power	<i>Fit power-law distribution for an igraph</i>
-----------	---

Description

Fit power-law distribution for an igraph

Usage

```
fit_power(go, p.value = FALSE)
```

Arguments

go	igraph
p.value	calculate p.value

Value

ggplot

See Also

Other topological: [extract_sub_net\(\)](#), [get_group_skeleton\(\)](#), [links_stat\(\)](#), [nc\(\)](#), [net_par\(\)](#), [rand_net_par\(\)](#), [rand_net\(\)](#), [smallworldness\(\)](#)

Examples

```
fit_power(co_net)
```

get_community	<i>Get community</i>
---------------	----------------------

Description

Get community

Usage

```
get_community(go_m)
```

Arguments

go_m	module metanet
------	----------------

Value

community

See Also

Other module: `filter_n_module()`, `get_module_eigen()`, `get_module()`, `module_detect()`, `module_eigen()`, `module_net()`, `summary_module()`, `to_module_net()`, `zp_analyse()`

`get_e`*Get edge information***Description**

Get edge information

Usage

```
get_e(go, name = NULL)
```

Arguments

<code>go</code>	metanet object
<code>name</code>	attribute name, default: NULL

Value

`data.frame`

See Also

Other manipulate: `anno_edge()`, `anno_vertex()`, `c_net_annotation()`, `c_net_filter()`, `c_net_save()`, `c_net_union()`, `get_n()`, `get_v()`, `is_metanet()`

`get_group_skeleton`*Get skeleton network according to a group***Description**

Get skeleton network according to a group

Skeleton plot

Usage

```
get_group_skeleton(go, Group = "v_class", count = NULL, top_N = 8)
skeleton_plot(ske_net, ...)
```

Arguments

go	network
Group	vertex column name
count	take which column count, default: NULL
top_N	top_N
ske_net	skeleton
...	additional parameters for <code>igraph.plotting</code>

Value

skeleton network

See Also

Other topological: `extract_sub_net()`, `fit_power()`, `links_stat()`, `nc()`, `net_par()`, `rand_net_par()`, `rand_net()`, `smallworldness()`

Examples

```
get_group_skeleton(co_net) -> ske_net
skeleton_plot(ske_net)
```

get_module

Get module

Description

Get module

Usage

```
get_module(go_m)
```

Arguments

go_m	module metanet
------	----------------

Value

module

See Also

Other module: `filter_n_module()`, `get_community()`, `get_module_eigen()`, `module_detect()`, `module_eigen()`, `module_net()`, `summary_module()`, `to_module_net()`, `zp_analyse()`

`get_module_eigen` *Get module_eigen*

Description

Get module_eigen

Usage

```
get_module_eigen(go_m)
```

Arguments

<code>go_m</code>	module metanet
-------------------	----------------

Value

`module_eigen`

See Also

Other module: [filter_n_module\(\)](#), [get_community\(\)](#), [get_module\(\)](#), [module_detect\(\)](#), [module_eigen\(\)](#), [module_net\(\)](#), [summary_module\(\)](#), [to_module_net\(\)](#), [zp_analyse\(\)](#)

`get_n` *Get network information*

Description

Get network information

Usage

```
get_n(go, name = NULL, simple = FALSE)
```

Arguments

<code>go</code>	metanet object
<code>name</code>	attribute name, default: NULL
<code>simple</code>	logical, get simple index

Value

`data.frame`

See Also

Other manipulate: [anno_edge\(\)](#), [anno_vertex\(\)](#), [c_net_annotate\(\)](#), [c_net_filter\(\)](#), [c_net_save\(\)](#), [c_net_union\(\)](#), [get_e\(\)](#), [get_v\(\)](#), [is_metanet\(\)](#)

get_v

Get vertex information

Description

Get vertex information

Usage

```
get_v(go, name = NULL)
```

Arguments

go	metanet object
name	attribute name, default: NULL

Value

data.frame

See Also

Other manipulate: [anno_edge\(\)](#), [anno_vertex\(\)](#), [c_net_annotate\(\)](#), [c_net_filter\(\)](#), [c_net_save\(\)](#), [c_net_union\(\)](#), [get_e\(\)](#), [get_n\(\)](#), [is_metanet\(\)](#)

g_layout

Layout with group

Description

Layout with group

Layout with group nicely

Usage

```
g_layout(
  go,
  group = "module",
  group_order = NULL,
  layout1 = in_circle(),
  zoom1 = 20,
  layout2 = in_circle(),
  zoom2 = 3,
  show_big_layout = FALSE,
  ...
)

g_layout_nice(go, group = "module", mode = "circlepack", ...)
```

Arguments

go	igraph or metanet
group	group name (default: module)
group_order	group_order
layout1	layout1 method, one of (1) a dataframe or matrix: rowname is group, two columns are X and Y (2) function: layout method for c_net_layout default: in_circle()
zoom1	big network layout size
layout2	one of functions: layout method for c_net_layout , or a list of functions.
zoom2	average sub_network layout size, or numeric vector, or "auto"
show_big_layout	show the big layout to help you adjust.
...	add
mode	circlepack, treemap, backbone, stress

Value

coors

See Also

Other g_layout: [g_layout_polygon\(\)](#)

Examples

```
data("c_net")
module_detect(co_net, method = "cluster_fast_greedy") -> co_net_modu
g_layout(co_net_modu, group = "module", zoom1 = 30, zoom2 = "auto", layout2 = as_line()) -> oridata
plot(co_net_modu, coors = oridata)
```

```
data("c_net")
module_detect(co_net, method = "cluster_fast_greedy") -> co_net_modu
if (requireNamespace("ggraph")) {
  plot(co_net_modu, coors = g_layout_nice(co_net_modu, group = "module"))
  plot(co_net_modu, coors = g_layout_nice(co_net_modu, group = "module", mode = "treemap"))
}
```

g_layout_polygon *Layout with group as a polygon*

Description

Layout with group as a polygon
Layout with group as a polyarc
Layout with group as a polyarc

Usage

```
g_layout_polygon(
  go,
  group = "v_group",
  group_order = NULL,
  group2 = NULL,
  group2_order = NULL,
  line_curved = 0.5
)

g_layout_polyarc(
  go,
  group = "v_group",
  group_order = NULL,
  group2 = NULL,
  group2_order = NULL,
  space = pi/4,
  scale_node_num = TRUE
)

g_layout_polycircle(
  go,
  group = "v_group",
  group_order = NULL,
  group2 = NULL,
  group2_order = NULL
)
```

Arguments

go	igraph
group	group name (default:v_group)
group_order	group_order
group2	group2 name, will order nodes in each group according to group2_order
group2_order	group2_order
line_curved	line_curved 0~1
space	the space between each arc, default: pi/4
scale_node_num	scale with the node number in each group

Value

coors

See AlsoOther g_layout: [g_layout\(\)](#)**Examples**

```
g_layout_polygon(multi1) -> oridata
c_net_plot(multi1, oridata)
g_layout_polyarc(multi1, group2 = "v_class", group2_order = c(LETTERS[4:1])) -> oridata
c_net_plot(multi1, oridata)
g_layout_polycircle(co_net2, group2 = "v_class") -> oridata
c_net_plot(co_net2, oridata)
```

input_corr *Import corr from .csv file***Description**

Import corr from .csv file

Usage`input_corr(filename)`**Arguments**

filename	filename of .corr
----------	-------------------

Value

a corr object

See Also

Other calculate: [c_net_calculate\(\)](#), [cal_sim\(\)](#), [fast_cor\(\)](#), [p.adjust.table\(\)](#)

input_gephi

Input a graphml file exported by Gephi

Description

Input a graphml file exported by Gephi

Usage

```
input_gephi(file)
```

Arguments

file graphml file exported by Gephi

Value

list contains the igraph object and coordinates

See Also

Other plot: [as.ggig\(\)](#), [c_net_plot\(\)](#), [netD3plot\(\)](#), [olympic_rings_net\(\)](#), [plot.ggig\(\)](#), [twocol_edgelist\(\)](#), [venn_net\(\)](#)

is_metanet

Is this object a metanet object?

Description

Is this object a metanet object?

Usage

```
is_metanet(go)
```

Arguments

go a test object

Value

logical

See Also

Other manipulate: [anno_edge\(\)](#), [anno_vertex\(\)](#), [c_net_annotation\(\)](#), [c_net_filter\(\)](#), [c_net_save\(\)](#), [c_net_union\(\)](#), [get_e\(\)](#), [get_n\(\)](#), [get_v\(\)](#)

Examples

```
data(c_net)
is_metanet(co_net)
```

<code>links_stat</code>	<i>Link summary of the network</i>
-------------------------	------------------------------------

Description

Link summary of the network

Usage

```
links_stat(
  go,
  group = "v_class",
  e_type = "all",
  topN = 6,
  colors = NULL,
  legend_number = FALSE,
  legend = TRUE,
  legend_cex = 1,
  legend_position = c(left_leg_x = -1.6, left_leg_y = 1, right_leg_x = 1.2, right_leg_y =
    1),
  col_legend_order = NULL,
  group_legend_title = NULL,
  group_legend_order = NULL
)
```

Arguments

<code>go</code>	igraph or metanet
<code>group</code>	summary which group of vertex attribution in names(vertex_attr(go))
<code>e_type</code>	"positive", "negative", "all"
<code>topN</code>	topN of group, default:5
<code>colors</code>	colors
<code>legend_number</code>	legend with numbers
<code>legend</code>	all legends
<code>legend_cex</code>	character expansion factor relative to current par("cex"), default: 1

```

legend_position
    legend_position, default: c(left_leg_x=-1.9,left_leg_y=1,right_leg_x=1.2,right_leg_y=1)
col_legend_order
    col_legend_order vector,
group_legend_title
    group_legend_title, length must same to the numbers of v_group
group_legend_order
    group_legend_order vector

```

Value

plot

See Also

Other topological: [extract_sub_net\(\)](#), [fit_power\(\)](#), [get_group_skeleton\(\)](#), [nc\(\)](#), [net_par\(\)](#), [rand_net_par\(\)](#), [rand_net\(\)](#), [smallworldness\(\)](#)

Examples

```

if (requireNamespace("circlize")) {
  links_stat(co_net, topN = 10)
  module_detect(co_net) -> co_net_modu
  links_stat(co_net_modu, group = "module")
}

```

metab

MetaNet networks abundance

Description

MetaNet co_nets

metab_g

MetaNet networks metadata

Description

MetaNet co_nets

micro

MetaNet networks abundance

Description

MetaNet co_nets

micro_g	<i>MetaNet networks metadata</i>
---------	----------------------------------

Description

MetaNet co_nets

module_detect	<i>Detect the modules</i>
---------------	---------------------------

Description

Detect the modules

Usage

```
module_detect(
  go,
  method = "cluster_fast_greedy",
  n_node_in_module = 0,
  delete = FALSE
)
```

Arguments

go	an igraph object
method	cluster_method: "cluster_walktrap", "cluster_edge_betweenness", "cluster_fast_greedy", "cluster_spinglass"
n_node_in_module	transfer the modules less than n_node_in_module to "others"
delete	logical, delete others modules? default:FALSE, the others module will be "others".

Value

an igraph object

See Also

Other module: [filter_n_module\(\)](#), [get_community\(\)](#), [get_module_eigen\(\)](#), [get_module\(\)](#),
[module_eigen\(\)](#), [module_net\(\)](#), [summary_module\(\)](#), [to_module_net\(\)](#), [zp_analyse\(\)](#)

Examples

```
data("c_net")
module_detect(co_net) -> co_net_modu
```

module_eigen	<i>Calculate the eigenvalue of each module and correlation of nodes and eigenvalue (node_eigen_cor).</i>
--------------	--

Description

Calculate the eigenvalue of each module and correlation of nodes and eigenvalue (node_eigen_cor).

Plot the expression of each modules

Usage

```
module_eigen(go_m, totu, cor_method = "spearman")

module_expression(
  go_m,
  totu,
  group = NULL,
  r_threshold = 0.6,
  x_order = NULL,
  facet_param = NULL,
  plot_eigen = FALSE
)
```

Arguments

go_m	module metanet
totu	original abundance table used for module_eigen().
cor_method	"pearson", "kendall", "spearman"
group	group variable for totu
r_threshold	the threshold for node_eigen_cor, default: 0.6.
x_order	order the x axis.
facet_param	parameters parse to facet_wrap , e.g. nrow=2.
plot_eigen	plot the eigen value line.

Value

module metanet with module_eigen

See Also

Other module: [filter_n_module\(\)](#), [get_community\(\)](#), [get_module_eigen\(\)](#), [get_module\(\)](#), [module_detect\(\)](#), [module_net\(\)](#), [summary_module\(\)](#), [to_module_net\(\)](#), [zp_analyse\(\)](#)

Examples

```
data("otutab", package = "pcutools")
t(otutab) -> totu
data("c_net")
module_detect(co_net, n_node_in_module = 30) -> co_net_modu
module_eigen(co_net_modu, totu) -> co_net_modu
module_expression(co_net_modu, totu)
```

module_net

Generate a n-modules network

Description

this is just a random generation method, the module number of result is not exactly the module_number, you can change the inter_module_density and intra_module_density to get the proper result.

Usage

```
module_net(
  module_number = 3,
  n_node_in_module = 30,
  intra_module_density = 0.3,
  inter_module_density = 0.01
)
```

Arguments

module_number	number of modules
n_node_in_module	number of nodes in each modules
intra_module_density	intra_module_density, recommend bigger than 20*inter_module_density, default:0.3
inter_module_density	inter_module_density, default:0.01

Value

n-modules metanet

See Also

Other module: [filter_n_module\(\)](#), [get_community\(\)](#), [get_module_eigen\(\)](#), [get_module\(\)](#), [module_detect\(\)](#), [module_eigen\(\)](#), [summary_module\(\)](#), [to_module_net\(\)](#), [zp_analyse\(\)](#)

Examples

```
g1 <- module_net()
get_n(g1)
plot(g1, mark_module = TRUE)
plot(g1, coors = g_layout(g1, zoom2 = 20))
plot(g1, coors = g_layout_polyarc(g1, group = "module"))
plot(g1, coors = g_layout_polygon(g1, group = "module"))
```

multi1

MetaNet networks

Description

MetaNet co_nets

multi_net_build

Multi-omics network build

Description

Multi-omics network build

Usage

```
multi_net_build(
  ...,
  mode = "full",
  method = "spearman",
  filename = FALSE,
  p.adjust.method = NULL,
  r_threshold = 0.6,
  p_threshold = 0.05,
  use_p_adj = TRUE,
  delete_single = TRUE
)
```

Arguments

...	some omics abundance tables
mode	"full"
method	"spearman" or "pearson"
filename	the prefix of saved .corr file or FALSE
p.adjust.method	see p.adjust

```
r_threshold    r_threshold (default: >0.6)
p_threshold    p_threshold (default: <0.05)
use_p_adj      use the p.adjust instead of p-value (default: TRUE)
delete_single  should delete single vertexes?
```

Value

`metanet`

See Also

Other build: `c_net_build()`, `c_net_from_edgelist()`, `c_net_set()`, `c_net_update()`

Examples

```
data("multi_test")
multi1 <- multi_net_build(list(Microbiome = micro, Metabolome = metab, Transcriptome = transc))
multi1 <- c_net_set(multi1, micro_g, metab_g, transc_g,
  vertex_class = c("Phylum", "kingdom", "type"))
)
multi1 <- c_net_set(multi1, data.frame("Abundance1" = colSums(micro)),
  data.frame("Abundance2" = colSums(metab)), data.frame("Abundance3" = colSums(transc)),
  vertex_size = paste0("Abundance", 1:3)
)
c_net_plot(multi1)
```

`nc`

Calculate natural_connectivity

Description

Calculate natural_connectivity

Usage

`nc(p)`

Arguments

<code>p</code>	an igraph or metanet object
----------------	-----------------------------

Value

`natural_connectivity` (numeric)

References

`'nc'` in `'ggClusterNet'`

See Also

Other topological: [extract_sub_net\(\)](#), [fit_power\(\)](#), [get_group_skeleton\(\)](#), [links_stat\(\)](#), [net_par\(\)](#), [rand_net_par\(\)](#), [rand_net\(\)](#), [smallworldness\(\)](#)

Examples

```
igraph::make_ring(10) %>% nc()
```

netD3plot

plot use networkD3

Description

`plot use networkD3`

Usage

```
netD3plot(go, v_class = "v_class", ...)
```

Arguments

go	metanet
v_class	which attributes use to be v_class
...	see forceNetwork

Value

D3 plot

See Also

Other plot: [as.ggig\(\)](#), [c_net_plot\(\)](#), [input_gephi\(\)](#), [olympic_rings_net\(\)](#), [plot.ggig\(\)](#), [twocol_edgelist\(\)](#), [venn_net\(\)](#)

Examples

```
data("c_net")
plot(co_net2)
if (requireNamespace("networkD3")) {
  netD3plot(co_net2)
}
```

net_par*Calculate all topological indexes of a network*

Description

Calculate all topological indexes of a network

Add topological indexes for a network

Usage

```
net_par(go, mode = c("v", "e", "n", "all"), fast = TRUE)

c_net_index(go, force = FALSE)
```

Arguments

go	igraph or metanet
mode	calculate what? c("v", "e", "n", "all")
fast	less indexes for faster calculate ?
force	replace existed net_par

Value

a 3-elements list

n_index	indexs of the whole network
v_index	indexs of each vertex
e_index	indexs of each edge

See Also

Other topological: [extract_sub_net\(\)](#), [fit_power\(\)](#), [get_group_skeleton\(\)](#), [links_stat\(\)](#), [nc\(\)](#), [rand_net_par\(\)](#), [rand_net\(\)](#), [smallworldness\(\)](#)

Examples

```
igraph::make_graph("Walther") %>% net_par()
c_net_index(co_net) -> co_net_with_par
```

olympic_rings_net *Plot olympic rings using network*

Description

Plot olympic rings using network

Usage

```
olympic_rings_net()
```

Value

network plot

See Also

Other plot: [as.ggig\(\)](#), [c_net_plot\(\)](#), [input_gephi\(\)](#), [netD3plot\(\)](#), [plot.ggig\(\)](#), [twocol_edgelist\(\)](#), [venn_net\(\)](#)

Examples

```
olympic_rings_net()
```

p.adjust.table *p.adjust apply on a correlation table (matrix or data.frame)*

Description

p.adjust apply on a correlation table (matrix or data.frame)

Usage

```
p.adjust.table(pp, method = "BH", mode = "all")
```

Arguments

pp table of p-values
method see [p.adjust](#), default: "BH".
mode "all" for all values; "rows" adjust each row one by one; "columns" adjust each column one by one. Default: "all".

Value

a table of adjusted p-values

See Also

Other calculate: [c_net_calculate\(\)](#), [cal_sim\(\)](#), [fast_cor\(\)](#), [input_corr\(\)](#)

Examples

```
matrix(abs(rnorm(100, 0.01, 0.1)), 10, 10) -> pp
p.adjust.table(pp, method = "BH", mode = "all") -> pp_adj
```

plot.ggig

Plot a ggig

Description

Plot a ggig

Usage

```
## S3 method for class 'ggig'
plot(
  x,
  coors = NULL,
  ...,
  labels_num = 5,
  vertex_size_range = NULL,
  edge_width_range = NULL,
  plot_module = FALSE,
  mark_module = FALSE,
  mark_color = NULL,
  mark_alpha = 0.3,
  module_label = FALSE,
  module_label_cex = 2,
  module_label_color = "black",
  module_label_just = c(0.5, 0.5),
  legend_number = FALSE,
  legend = TRUE,
  legend_cex = 1,
  legend_position = c(left_leg_x = -2, left_leg_y = 1, right_leg_x = 1.2, right_leg_y =
    1),
  group_legend_title = NULL,
  group_legend_order = NULL,
  color_legend = TRUE,
  color_legend_order = NULL,
  size_legend = FALSE,
  size_legend_title = "Node Size",
  edge_legend = TRUE,
  edge_legend_title = "Edge type",
  edge_legend_order = NULL,
```

```

width_legend = FALSE,
width_legend_title = "Edge width",
lty_legend = FALSE,
lty_legend_title = "Edge class",
lty_legend_order = NULL,
seed = 1234
)

```

Arguments

x	ggig object
coors	the coordinates you saved
...	additional parameters for igraph.plotting
labels_num	show how many labels,>1 indicates number,<1 indicates fraction, "all" indicates all, default:5
vertex_size_range	the vertex size range, e.g. c(1,10)
edge_width_range	the edge width range, e.g. c(1,10)
plot_module	logical, plot module?
mark_module	logical, mark the modules?
mark_color	mark colors
mark_alpha	mark fill alpha, default 0.3
module_label	module_label
module_label_cex	module_label_cex
module_label_color	module_label_color
module_label_just	module_label_just
legend_number	legend with numbers
legend	all legends
legend_cex	character expansion factor relative to current par("cex"), default: 1
legend_position	legend_position, default: c(left_leg_x=-1.9,left_leg_y=1,right_leg_x=1.2,right_leg_y=1)
group_legend_title	group_legend_title, length must same to the numbers of v_group
group_legend_order	group_legend_order vector
color_legend	logical
color_legend_order	color_legend_order vector
size_legend	logical

```

size_legend_title
  size_legend_title
edge_legend      logical
edge_legend_title
  edge_legend_title
edge_legend_order
  edge_legend_order vector, e.g. c("positive","negative")
width_legend     logical
width_legend_title
  width_legend_title
lty_legend       logical
lty_legend_title
  lty_legend_title
lty_legend_order
  lty_legend_order
seed             random seed, default:1234, make sure each plot is the same.

```

Value

ggplot

See Also

Other plot: [as.ggig\(\)](#), [c_net_plot\(\)](#), [input_gephi\(\)](#), [netD3plot\(\)](#), [olympic_rings_net\(\)](#), [twocol_edgelist\(\)](#), [venn_net\(\)](#)

plot.metanet *Plot a metanet*

Description

Plot a metanet

Usage

```
## S3 method for class 'metanet'
plot(x, ...)
```

Arguments

x	metanet object
...	add

Value

plot

plot.rmt_res	<i>Plot a rmt_res</i>
--------------	-----------------------

Description

Plot a rmt_res

Usage

```
## S3 method for class 'rmt_res'  
plot(x, ...)
```

Arguments

x	rmt_res
...	Additional arguments

Value

ggplot

plot.robust	<i>Plot robust</i>
-------------	--------------------

Description

Plot robust

Usage

```
## S3 method for class 'robust'  
plot(  
  x,  
  indexes = c("Natural_connectivity", "Average_path_length", "Average_degree"),  
  use_ratio = FALSE,  
  mode = 1,  
  ...  
)
```

Arguments

x	robust_test() result (robust object)
indexes	indexes selected to show
use_ratio	use the delete nodes ratio rather than nodes number
mode	plot mode, 1~3
...	additional arguments for group_box

Value

a ggplot

plot.robustness *Plot robustness*

Description

Plot robustness

Usage

```
## S3 method for class 'robustness'  
plot(x, indexes = "Node_number", ...)
```

Arguments

x	robustness() result (robustness object)
indexes	indexes selected to show
...	additional arguments for <code>group_box</code>

Value

a ggplot

plot.vulnerability *Plot vulnerability*

Description

Plot vulnerability

Usage

```
## S3 method for class 'vulnerability'  
plot(x, ...)
```

Arguments

x	vulnerability() result (vulnerability object)
...	add

Value

a ggplot

`print.cohesion`

Print method for 'cohesion' objects

Description

Print method for 'cohesion' objects

Usage

```
## S3 method for class 'cohesion'  
print(x, ...)
```

Arguments

x	'cohesion' object
...	Additional arguments

Value

No value

`print.coors`

Print method for 'coors' objects

Description

Print method for 'coors' objects

Usage

```
## S3 method for class 'coors'  
print(x, ...)
```

Arguments

x	'coors' object
...	additional arguments

Value

No value

`print.corr`

Print method for 'corr' objects

Description

Print method for 'corr' objects

Usage

```
## S3 method for class 'corr'  
print(x, ...)
```

Arguments

x	'corr' object
...	additional arguments

Value

No value

`print.ggig`

Print method for 'ggig' objects

Description

Print method for 'ggig' objects

Usage

```
## S3 method for class 'ggig'  
print(x, ...)
```

Arguments

x	'ggig' object
...	Additional arguments

Value

No value

print.metanet	<i>Print method for 'metanet' objects</i>
---------------	---

Description

Print method for 'metanet' objects

Usage

```
## S3 method for class 'metanet'  
print(x, ...)
```

Arguments

x	'metanet' object
...	Additional arguments

Value

No value

print.robust	<i>Print method for 'robust' objects</i>
--------------	--

Description

Print method for 'robust' objects

Usage

```
## S3 method for class 'robust'  
print(x, ...)
```

Arguments

x	'robust' object
...	Additional arguments

Value

No value

`print.robustness` *Print method for 'robustness' objects*

Description

Print method for 'robustness' objects

Usage

```
## S3 method for class 'robustness'  
print(x, ...)
```

Arguments

<code>x</code>	'robustness' object
<code>...</code>	Additional arguments

Value

No value

`print.vulnerability` *Print method for 'vulnerability' objects*

Description

Print method for 'vulnerability' objects

Usage

```
## S3 method for class 'vulnerability'  
print(x, ...)
```

Arguments

<code>x</code>	'vulnerability' object
<code>...</code>	Additional arguments

Value

No value

`rand_net`

Degree distribution comparison with random network

Description

Degree distribution comparison with random network

Usage

```
rand_net(go = go)
```

Arguments

go	igraph object
----	---------------

Value

ggplot

See Also

Other topological: [extract_sub_net\(\)](#), [fit_power\(\)](#), [get_group_skeleton\(\)](#), [links_stat\(\)](#), [nc\(\)](#), [net_par\(\)](#), [rand_net_par\(\)](#), [smallworldness\(\)](#)

Examples

```
rand_net(co_net)
```

`rand_net_par`

Net_pars of many random network

Description

Net_pars of many random network

Compare some indexes between your net with random networks

Usage

```
rand_net_par(go, reps = 99, threads = 1, verbose = TRUE)

compare_rand(
  pars,
  randp,
  index = c("Average_path_length", "Clustering_coefficient")
)
```

Arguments

go	igraph
reps	simulation time
threads	threads
verbose	verbose
pars	your net pars resulted by net_pars()
randp	random networks pars resulted by rand_net_par()
index	compared indexes: "Average_path_length", "Clustering_coefficient" or else

Value

ggplot

See Also

Other topological: [extract_sub_net\(\)](#), [fit_power\(\)](#), [get_group_skeleton\(\)](#), [links_stat\(\)](#), [nc\(\)](#), [net_par\(\)](#), [rand_net\(\)](#), [smallworldness\(\)](#)

Examples

```
data("c_net")
rand_net_par(co_net_rmt, reps = 30) -> randp
net_par(co_net_rmt, fast = FALSE) -> pars
compare_rand(pars, randp)
```

RMT_threshold

*Get RMT threshold for a correlation matrix***Description**

Get RMT threshold for a correlation matrix

Get RMT threshold for a correlation matrix roughly

Usage

```
RMT_threshold(
  occor.r,
  out_dir,
  min_threshold = 0.5,
  max_threshold = 0.8,
  step = 0.02,
  gif = FALSE,
  verbose = FALSE
)
rmt(occor.r, min_threshold = 0.5, max_threshold = 0.85, step = 0.01)
```

Arguments

occor.r	a corr object or a correlation matrix
out_dir	output dir
min_threshold	min_threshold
max_threshold	max_threshold
step	step
gif	render a .gif file?
verbose	verbose

Value

a r-threshold
recommend threshold

References

J. Zhou, Y. Deng, FALSE. Luo, Z. He, Q. Tu, X. Zhi, (2010) Functional Molecular Ecological Networks, doi:10.1128/mBio.00169-10. https://matstat.org/content_en/RMT/RMThreshold_Intro.pdf

Examples

```
data(otutab, package = "pcutools")
t(otutab) -> totu
c_net_calculate(totu) -> corr
rmt(corr)
# recommend: 0.69
c_net_build(corr, r_threshold = 0.69) -> co_net_rmt
```

show_MetaNet_logo *Show MetaNet logo*

Description

Show MetaNet logo

Usage

```
show_MetaNet_logo()
```

Value

picture

smallworldness	<i>Calculate small-world coefficient</i>
----------------	--

Description

Calculate small-world coefficient

Usage

```
smallworldness(go, reps = 99, threads = 1, verbose = TRUE)
```

Arguments

go	igraph or metanet
reps	simulation time
threads	threads
verbose	verbose

Value

number

See Also

Other topological: [extract_sub_net\(\)](#), [fit_power\(\)](#), [get_group_skeleton\(\)](#), [links_stat\(\)](#), [nc\(\)](#), [net_par\(\)](#), [rand_net_par\(\)](#), [rand_net\(\)](#)

Examples

```
# set reps at least 99 when you run.
smallworldness(co_net, reps = 9)
```

summary_module	<i>Summary module index</i>
----------------	-----------------------------

Description

Summary module index

Usage

```
summary_module(go_m, var = "v_class", module = "module", ...)
```

Arguments

go_m	module metanet
var	variable name
module	which column name is module. default: "module"
...	add

Value

ggplot

See Also

Other module: [filter_n_module\(\)](#), [get_community\(\)](#), [get_module_eigen\(\)](#), [get_module\(\)](#), [module_detect\(\)](#), [module_eigen\(\)](#), [module_net\(\)](#), [to_module_net\(\)](#), [zp_analyse\(\)](#)

Examples

```
data("c_net")
module_detect(co_net, n_node_in_module = 30) -> co_net_modu
summary_module(co_net_modu, var = "v_class", module = "module")
summary_module(co_net_modu, var = "Abundance", module = "module")
```

summ_2col

*Summaries two columns information***Description**

Summaries two columns information

Usage

```
summ_2col(df, from = 1, to = 2, count = 3, direct = FALSE)
```

Arguments

df	data.frame
from	first column name or index
to	second column name or index
count	(optional) weight column, if no, each equal to 1
direct	consider direct? default: FALSE

Value

data.frame

Examples

```
test <- data.frame(
  a = sample(letters[1:4], 10, replace = TRUE),
  b = sample(letters[1:4], 10, replace = TRUE)
)
summ_2col(test, direct = TRUE)
summ_2col(test, direct = FALSE)
if (requireNamespace("circlize")) {
  summ_2col(test, direct = TRUE) %>% pcutils::my_circo()
}
```

to_module_net *Transformation a network to a module network*

Description

Transformation a network to a module network

Usage

```
to_module_net(go)
```

Arguments

go	metanet
----	---------

Value

metanet with modules

See Also

Other module: [filter_n_module\(\)](#), [get_community\(\)](#), [get_module_eigen\(\)](#), [get_module\(\)](#), [module_detect\(\)](#), [module_eigen\(\)](#), [module_net\(\)](#), [summary_module\(\)](#), [zp_analyse\(\)](#)

transc *MetaNet networks abundance*

Description

MetaNet co_nets

transc_g	<i>MetaNet networks metadata</i>
----------	----------------------------------

Description

MetaNet co_nets

twocol_edgelist	<i>Quick build a metanet from two columns table</i>
-----------------	---

Description

Quick build a metanet from two columns table

Usage

```
twocol_edgelist(edgelist)
```

Arguments

edgelist two columns table (no elements exist in two columns at same time)

Value

metanet

See Also

Other plot: [as.ggig\(\)](#), [c_net_plot\(\)](#), [input_gephi\(\)](#), [netD3plot\(\)](#), [olympic_rings_net\(\)](#), [plot.ggig\(\)](#), [venn_net\(\)](#)

Examples

```
twocol <- data.frame(  
  "col1" = sample(letters, 30, replace = TRUE),  
  "col2" = sample(c("A", "B"), 30, replace = TRUE)  
)  
twocol_net <- twocol_edgelist(twocol)  
plot(twocol_net)  
c_net_plot(twocol_net, g_layout_polygon(twocol_net))
```

venn_net*Venn network***Description**

Venn network

Usage`venn_net(tab)`**Arguments**

<code>tab</code>	data.frame (row is elements, column is group), or a list (names is group, value is elements)
------------------	--

Value`plot`**See Also**

Other plot: [as.ggig\(\)](#), [c_net_plot\(\)](#), [input_gephi\(\)](#), [netD3plot\(\)](#), [olympic_rings_net\(\)](#), [plot.ggig\(\)](#), [twocol_edgelist\(\)](#)

Examples

```
data(otutab, package = "pcutils")
tab <- otutab[400:485, 1:3]
venn_net(tab) -> v_net
plot(v_net)
```

zp_analyse*Zi-Pi calculate***Description**

Zi-Pi calculate

Zi-Pi plot of vertexes

Usage

```
zp_analyse(go_m, mode = 2, use_origin = TRUE)

zp_plot(go, label = TRUE, mode = 1)
```

Arguments

go_m	igraph object after module_detect()
mode	plot style, 1~3
use_origin	use original_module, default:TRUE, if FALSE, use module
go	igraph object after zp_analyse()
label	show label or not

Value

igraph
a ggplot object

References

1. Guimerà, R. & Amaral, L. Functional cartography of complex metabolic networks. (2005) doi:10.1038/nature03288.

See Also

Other module: [filter_n_module\(\)](#), [get_community\(\)](#), [get_module_eigen\(\)](#), [get_module\(\)](#), [module_detect\(\)](#), [module_eigen\(\)](#), [module_net\(\)](#), [summary_module\(\)](#), [to_module_net\(\)](#)

Examples

```
data("c_net")
module_detect(co_net) -> co_net_modu
zp_analyse(co_net_modu) -> co_net_modu
if (requireNamespace("ggrepel")) {
  zp_plot(co_net_modu)
  zp_plot(co_net_modu, mode = 3)
}
```

Index

- * **build**
 - c_net_build, 15
 - c_net_from_edgelist, 18
 - c_net_set, 23
 - c_net_update, 27
 - multi_net_build, 45
- * **calculate**
 - c_net_calculate, 16
 - cal_sim, 10
 - fast_cor, 29
 - input_corr, 38
 - p.adjust.table, 49
- * **g_layout**
 - g_layout, 35
 - g_layout_polygon, 37
- * **layout**
 - as_arc, 6
 - as_circle_tree, 7
 - as_line, 7
 - as_polyarc, 8
 - as_polycircle, 9
 - as_polygon, 9
 - c_net_layout, 19
- * **manipulate**
 - anno_edge, 4
 - anno_vertex, 4
 - c_net_annotation, 14
 - c_net_filter, 17
 - c_net_save, 22
 - c_net_union, 26
 - get_e, 32
 - get_n, 34
 - get_v, 35
 - is_metanet, 39
- * **module**
 - filter_n_module, 29
 - get_community, 31
 - get_module, 33
 - get_module_eigen, 34

- module_detect, 42
- module_eigen, 43
- module_net, 44
- summary_module, 62
- to_module_net, 64
- zp_analyse, 66

- * **plot**
 - as.ggig, 6
 - c_net_plot, 20
 - input_gephi, 39
 - netD3plot, 47
 - olympic_rings_net, 49
 - plot.ggig, 50
 - twocol_edgelist, 65
 - venn_net, 66
- * **topological**
 - extract_sub_net, 28
 - fit_power, 31
 - get_group_skeleton, 32
 - links_stat, 40
 - nc, 46
 - net_par, 48
 - rand_net, 59
 - rand_net_par, 59
 - smallworldness, 62

- anno_edge, 4, 5, 14, 17, 23, 26, 32, 35, 40
- anno_node (anno_vertex), 4
- anno_vertex, 4, 4, 14, 17, 23, 26, 32, 35, 40
- arc_count, 5
- arc_taxonomy, 5
- as.ggig, 6, 22, 39, 47, 49, 52, 65, 66
- as.metanet (c_net_update), 27
- as_arc, 6, 7–10, 19
- as_circle_tree, 7, 7, 8–10, 19
- as_line, 7, 7, 8–10, 19
- as_polyarc, 7, 8, 8, 9, 10, 19
- as_polycircle, 7, 8, 9, 10, 19
- as_polygon, 7–9, 9, 19

c_net_annotate, 4, 5, 14, 17, 23, 26, 32, 35, 40
 c_net_build, 15, 18, 24, 27, 46
 c_net_cal (c_net_calculate), 16
 c_net_calculate, 10, 16, 29, 39, 50
 c_net_filter, 4, 5, 14, 17, 23, 26, 32, 35, 40
 c_net_from_edgelist, 15, 18, 24, 27, 46
 c_net_index (net_par), 48
 c_net_lay (c_net_layout), 19
 c_net_layout, 7–10, 19, 36
 c_net_module (module_detect), 42
 c_net_plot, 6, 20, 39, 47, 49, 52, 65, 66
 c_net_save, 4, 5, 14, 17, 22, 26, 32, 35, 40
 c_net_set, 15, 18, 23, 27, 46
 c_net_stability, 24
 c_net_union, 4, 5, 14, 17, 23, 26, 32, 35, 40
 c_net_update, 15, 18, 24, 27, 46
 cal_sim, 10, 16, 29, 39, 50
 check_tabs, 11
 clean_igraph, 11
 co_net, 13
 co_net2, 13
 co_net_rmt, 13
 Cohesion, 12
 combine_n_module (filter_n_module), 29
 compare_rand (rand_net_par), 59
 create_layout, 19
 df2net_tree, 27
 extract_sub_net, 28, 31, 33, 41, 47, 48, 59, 60, 62
 facet_wrap, 43
 fast_cor, 10, 16, 29, 39, 50
 filter_n_module, 29, 32–34, 42–44, 63, 64, 67
 fit_power, 28, 31, 33, 41, 47, 48, 59, 60, 62
 forceNetwork, 47
 g_layout, 35, 38
 g_layout_nice (g_layout), 35
 g_layout_polyarc (g_layout_polygon), 37
 g_layout_polycircle (g_layout_polygon), 37
 g_layout_polygon, 36, 37
 get_community, 30, 31, 33, 34, 42–44, 63, 64, 67
 get_e, 4, 5, 14, 17, 23, 26, 32, 35, 40
 get_group_skeleton, 28, 31, 32, 41, 47, 48, 59, 60, 62
 get_module, 30, 32, 33, 34, 42–44, 63, 64, 67
 get_module_eigen, 30, 32, 33, 34, 42–44, 63, 64, 67
 get_n, 4, 5, 14, 17, 23, 26, 32, 34, 35, 40
 get_v, 4, 5, 14, 17, 23, 26, 32, 35, 35, 40
 group_box, 12, 53, 54
 igraph.plotting, 21, 33, 51
 input_corr, 10, 16, 29, 38, 50
 input_gephi, 6, 22, 39, 47, 49, 52, 65, 66
 is.metanet (is_metanet), 39
 is_metanet, 4, 5, 14, 17, 23, 26, 32, 35, 39
 layout_, 19
 links_stat, 28, 31, 33, 40, 47, 48, 59, 60, 62
 metab, 41
 metab_g, 41
 micro, 41
 micro_g, 42
 module_detect, 30, 32–34, 42, 43, 44, 63, 64, 67
 module_eigen, 30, 32–34, 42, 43, 44, 63, 64, 67
 module_expression (module_eigen), 43
 module_net, 30, 32–34, 42, 43, 44, 63, 64, 67
 multi1, 45
 multi_net_build, 15, 18, 24, 27, 45
 nc, 28, 31, 33, 41, 46, 48, 59, 60, 62
 net_par, 28, 31, 33, 41, 47, 48, 59, 60, 62
 netD3plot, 6, 22, 39, 47, 49, 52, 65, 66
 olympic_rings_net, 6, 22, 39, 47, 49, 52, 65, 66
 p.adjust, 16, 45, 49
 p.adjust.table, 10, 16, 29, 39, 49
 plot.cohesion (Cohesion), 12
 plot.ggig, 6, 22, 39, 47, 49, 50, 65, 66
 plot.metanet, 52
 plot.rmt_res, 53
 plot.robust, 53
 plot.robustness, 54
 plot.vulnerability, 54
 plot_module_tree (filter_n_module), 29
 print.cohesion, 55
 print.coors, 55

print.corr, 56
print.ggig, 56
print.metanet, 57
print.robust, 57
print.robustness, 58
print.vulnerability, 58

rand_net, 28, 31, 33, 41, 47, 48, 59, 60, 62
rand_net_par, 28, 31, 33, 41, 47, 48, 59, 59,
 62
rmt (RMT_threshold), 60
RMT_threshold, 60
robust_test (c_net_stability), 24
robustness (c_net_stability), 24

show_MetaNet_logo, 61
skeleton_plot (get_group_skeleton), 32
smallworldness, 28, 31, 33, 41, 47, 48, 59,
 60, 62
summ_2col, 63
summary_module, 30, 32–34, 42–44, 62, 64, 67

to_module_net, 30, 32–34, 42–44, 63, 64, 67
transc, 64
transc_g, 65
twocol_edgelist, 6, 22, 39, 47, 49, 52, 65, 66

vegdist, 10, 16
venn_net, 6, 22, 39, 47, 49, 52, 65, 66
vulnerability (c_net_stability), 24

zp_analyse, 30, 32–34, 42–44, 63, 64, 66
zp_plot (zp_analyse), 66