

Package ‘Randomuseragent’

June 17, 2021

Type Package

Title Filtering and Randomly Sampling Real User-Agent Strings

Version 0.0.1

Description Based on data of real user-agent strings, we can set filtering conditions and randomly sample user-agent strings from the user-agent string pool.

License MIT + file LICENSE

Encoding UTF-8

Depends R (>= 3.5)

Suggests dplyr, knitr, markdown, rmarkdown

VignetteBuilder knitr

URL <https://github.com/fangzhou-xie/Randomuseragent>,
<https://fangzhou-xie.github.io/Randomuseragent/index.html>

BugReports <https://github.com/fangzhou-xie/randomuseragent/issues>

RoxygenNote 7.1.1

NeedsCompilation no

Author Fangzhou Xie [aut, cre] (<<https://orcid.org/0000-0001-7702-093X>>)

Maintainer Fangzhou Xie <fangzhou.xie@rutgers.edu>

Repository CRAN

Date/Publication 2021-06-17 08:00:04 UTC

R topics documented:

filter_useragent	2
random_useragent	3
Index	4

filter_useragent *filter useragents based on criteria*

Description

filter useragents based on criteria

Usage

```
filter_useragent(  
  min_obs = 0,  
  software_name = NULL,  
  software_type = NULL,  
  operating_system_name = NULL,  
  layout_engine_name = NULL  
)
```

Arguments

min_obs minimum number observed for any given UA string, default 5000

software_name e.g. "Chrome", "Safari", "Firefox", "Edge", etc

software_type e.g. "browser", "bot", "application"

operating_system_name
 e.g. "Windows", "Linux", "Mac OS X", "macOS", etc

layout_engine_name
 e.g. "Gecko", "Blink", etc

Value

character vector of user agents

Examples

```
filter_useragent(  
  min_obs = 500000,  
  software_name = "Chrome",  
  operating_system_name = "Linux"  
)
```

random_useragent	<i>randomly choosing an user-agent string, given a set of conditions</i>
------------------	--

Description

randomly choosing an user-agent string, given a set of conditions

Usage

```
random_useragent(  
  min_obs = 5000,  
  software_name = NULL,  
  software_type = "browser",  
  operating_system_name = "Windows",  
  layout_engine_name = NULL  
)
```

Arguments

min_obs	minimum number observed for any given UA string, default 5000
software_name	e.g. "Chrome", "Safari", "Firefox", "Edge", etc
software_type	e.g. "browser", "bot", "application"
operating_system_name	e.g. "Windows", "Linux", "Mac OS X", "macOS", etc
layout_engine_name	e.g. "Gecko", "Blink", etc

Value

a random user agent string, given filter conditions

Examples

```
random_useragent()
```

Index

`filter_useragent`, [2](#)

`random_useragent`, [3](#)