

Package ‘bs4cards’

October 12, 2022

Title Generate Bootstrap Cards

Version 0.1.1

Description Allows the user to generate bootstrap cards within R markdown documents. Intended for use in conjunction with R markdown HTML outputs and other formats that support the bootstrap 4 library.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Imports htmltools, magrittr, methods, rlang

URL <https://github.com/djnavarro/bs4cards>

BugReports <https://github.com/djnavarro/bs4cards/issues>

Suggests testthat (>= 3.0.0), knitr, rmarkdown, tibble, covr, bslib

RoxygenNote 7.1.1

Depends R (>= 2.10)

Config/testthat/edition 3

NeedsCompilation no

Author Danielle Navarro [aut, cre] (<<https://orcid.org/0000-0001-7648-6578>>)

Maintainer Danielle Navarro <djnavarro@protonmail.com>

Repository CRAN

Date/Publication 2021-11-30 08:10:02 UTC

R topics documented:

cards	2
galleries	3
Index	5

 cards

Builds a deck of bootstrap cards

Description

Builds a deck of bootstrap cards

Usage

```
cards(
  data,
  title = NULL,
  text = NULL,
  image = NULL,
  link = NULL,
  footer = NULL,
  header = NULL,
  tags = NULL,
  layout = "label-below",
  width = 3,
  spacing = 2,
  breakpoint = 4,
  label_colour = NULL,
  border_colour = NULL,
  border_width = 1,
  border_radius = 3
)
```

Arguments

data	Data frame
title	Title for the card
text	Text for the card
image	Path to the card image
link	URL to link to from title and image
footer	Card footer
header	Card header
tags	Tags to be assigned to each card
layout	Card layout is a string, defaults to "label-below" (see details)
width	Card width is an integer between 1 and 5
spacing	Spacing between cards is an integer between 0 and 5
breakpoint	Number between 1 and 5, controlling label size on horizontal and inset layouts
label_colour	Colour applied to the card label (if NULL, colour inherits)

<code>border_colour</code>	Colour applied to the card border (if NULL, colour inherits)
<code>border_width</code>	Width of card border is an integer between 0 and 5
<code>border_radius</code>	Amount of rounding on card corners is an integer between 0 and 5

Details

This function constructs the HTML necessary to specify a deck of bootstrap 4 cards suitable for inclusion within an R markdown document. It takes a data frame as the first argument, with one row for each card to be generated.

Cards are specified using the `title`, `text`, `image`, `link`, `footer`, `header`, and `tags` arguments. These arguments take expressions to be evaluated using the user-supplied data, and should evaluate to character vectors that have length 1 or the same number of rows as data.

The `layout` argument is a single character string specifying the layout of the cards: possible values are "label-below" (the default), "label-above", "label-left", "label-right", "label-only", "image-only", "inset-top", "inset-bottom".

The `width`, `spacing`, `breakpoint`, `border_width`, and `border_radius` arguments all take integer inputs specifying the visual appearance of the cards. Allowed values range from 0 to 5, except for `width` and `breakpoint` which cannot be 0. The other two arguments `label_colour` and `border_colour` take a single string specifying colours of the relevant parts of the card.

Value

A "shiny.tag" object containing the HTML for the card deck

Examples

```
## Not run:
galleries %>%
  cards(
    title = long_name,
    text = blurb,
    image = image_url,
    link = gallery_url
  )

## End(Not run)
```

galleries

Generative art galleries

Description

A dataset containing information describing several galleries of generative art created in R.

Usage

```
galleries
```

Format

A tibble with 7 rows and 5 variables:

long_name full name of the gallery

short_name compact name of the gallery

date date on which the gallery was posted

blurb brief description of the gallery

paintbrushes names of R packages used to generate the art

image_url location of the gallery thumbnail image

gallery_url location of the gallery homepage

Source

<https://art.djnavarro.net/>

Index

* **datasets**
galleries, 3

cards, 2

galleries, 3