

# Package ‘colorfindr’

April 29, 2025

**Type** Package

**Title** Extract Colors from Windows BMP, JPEG, PNG, TIFF, and SVG Format Images

**Version** 0.1.5

**Description** Extracts colors from various image types, returns customized reports and plots treemaps and 3D scatterplots of image compositions. Color palettes can also be created.

**License** GPL (>= 2)

**Encoding** UTF-8

**BugReports** <https://github.com/zumbov2/colorfindr/issues>

**RoxygenNote** 7.3.2

**Imports** purrr, stringr, pixmap, tibble, treemap, rsvg, png, jpeg, tiff, bmp, dplyr, plotly, magrittr, plotwidgets

**NeedsCompilation** no

**Author** David Zumbach [aut, cre]

**Maintainer** David Zumbach <david.zumbach@gfzb.ch>

**Repository** CRAN

**Date/Publication** 2025-04-29 07:50:03 UTC

## Contents

get_colors . . . . .	2
make_palette . . . . .	3
plot_colors . . . . .	4
plot_colors_3d . . . . .	5

<b>Index</b>	<b>6</b>
--------------	----------

---

get_colors	<i>Extract colors from images.</i>
------------	------------------------------------

---

### Description

get\_colors extract colors from Windows BMP, JPEG, PNG, TIFF, and SVG format images.

### Usage

```
get_colors(  
  img,  
  exclude_col = NULL,  
  exclude_rad = NULL,  
  top_n = NULL,  
  min_share = NULL,  
  get_stats = TRUE  
)
```

### Arguments

img	path or url to image.
exclude_col	vector of colors to be excluded from the analysis. The built-in colors (see colors()) and/or hex color codes can be used.
exclude_rad	numeric vector with blurring of the colors to be excluded. Corresponds to a maximum spherical distance in the RGB color space (all dimensions range from 0 to 255). If is.null, only the exact colors are excluded. If input is of length 1, the same blurring is applied to all elements of exclude_col.
top_n	display the most frequent colors.
min_share	display the colors with a minimum share of all pixels (0-1).
get_stats	if TRUE, absolute and relative frequency of the colors are also included in the response.

### Value

If get\_stats is set to FALSE a character vector containing the hex color codes is returned. Otherwise, a data.frame (tibble::tibble) is returned with the following columns:

- col\_hex hex color code.
- col\_freq absolute frequency of the color.
- col\_share relative frequency of the color.

## Examples

```
# Extract all colors
pic1 <- system.file("extdata", "pic1.png", package = "colorfindr")
get_colors(pic1)

# Extract three most frequent colors
pic2 <- system.file("extdata", "pic2.tif", package = "colorfindr")
get_colors(pic2, top_n = 3)

# Extract colors that fill over 20% of the area
pic3 <- system.file("extdata", "pic3.jpg", package = "colorfindr")
get_colors(pic3, min_share = 0.2)

# Extract all colors except white
pic4 <- system.file("extdata", "pic4.bmp", package = "colorfindr")
get_colors(pic4, exclude_col = "white")
```

---

make\_palette

*Create a color palette from an image.*

---

## Description

make\_palette creates a color palette from colors extracted from Windows BMP, JPEG, PNG, TIFF, and SVG format images with the get\_colors function.

## Usage

```
make_palette(
  data,
  n = 10,
  clust_method = "kmeans",
  extract_method = "hex_freq",
  show = TRUE
)
```

## Arguments

data	a data.frame from a get_colors call consisting of the columns col_hex, col_freq, col_share.
n	the number of discrete colors to be extracted from the data.
clust_method	specifies the method used to cluster the pixels. By default, the colors are clustered by the <a href="#">k-means</a> method. Alternatively, a <a href="#">median cut</a> approach "median_cut" can be used.
extract_method	specifies the process for extracting the colors from the clusters obtained. By default "hex_freq", the most common hex colors per cluster are returned. Alternatively, the cluster-specific "mean", "median" or "mode" of the RGB values can be used to define the desired number of hex colors.
show	by default "TRUE", the generated color palette is displayed.

**Value**

A character vector with hex color codes, sorted by the weight of the associated clusters.

**Examples**

```
# Create palette from image
img <- system.file("extdata", "pic6.png", package = "colorfindr")
colors <- get_colors(img)
make_palette(colors)
```

---

plot\_colors

*Create treemaps of image color compositions*

---

**Description**

plot\_colors creates a treemap of colors extracted from Windows BMP, JPEG, PNG, TIFF, and SVG format images with the get\_colors function.

**Usage**

```
plot_colors(data, sort = "color", labels = TRUE)
```

**Arguments**

data	a data.frame from a get_colors call consisting of the columns col_hex, col_freq, col_share.
sort	specifies the sorting of the treemap rectangles. By default ("color"), the rectangles are sorted by hex color codes, starting in the upper left corner. With ("size") the largest rectangle is placed top left.
labels	by default, rectangles that are sufficiently large are provided with a label. If FALSE, then no labels are displayed.

**Examples**

```
# Extract all colors
pic1 <- system.file("extdata", "pic1.png", package = "colorfindr")
col <- get_colors(pic1)

# Plot image composition
plot_colors(col)
```

---

`plot_colors_3d`*Create interactive 3D scatterplots of image color compositions*

---

### Description

`plot_colors_3d` calls `plot_ly` and creates an interactive 3D scatterplot of colors extracted from Windows BMP, JPEG, PNG, TIFF, and SVG format images with the `get_colors` function in the RGB color space.

### Usage

```
plot_colors_3d(  
  data,  
  sample_size = 5000,  
  marker_size = 2.5,  
  color_space = "RGB"  
)
```

### Arguments

<code>data</code>	a <code>data.frame</code> from a <code>get_colors</code> call consisting of the columns <code>col_hex</code> , <code>col_freq</code> , <code>col_share</code> .
<code>sample_size</code>	the number of pixels to randomly select.
<code>marker_size</code>	size of marker.
<code>color_space</code>	specifies color space. By default, the colors are displayed in the "RGB" color space (x-axis: red, y-axis: blue, z-axis: green). Alternatively, the color spaces "HSL" (hue, saturation, lightness) and "HSV" (hue, saturation, value) can be used.

### Examples

```
# Extract all colors  
pic1 <- system.file("extdata", "pic5.png", package = "colorfindr")  
col <- get_colors(pic1)  
  
# Plot image composition  
plot_colors_3d(col)
```

# Index

`get_colors`, 2

`make_palette`, 3

`plot_colors`, 4

`plot_colors_3d`, 5

`plot_ly`, 5