

Package ‘yulab.utils’

September 20, 2023

Title Supporting Functions for Packages Maintained by 'YuLab-SMU'

Version 0.1.0

Description Miscellaneous functions commonly used by 'YuLab-SMU'.

Imports cli, digest, fs, memoise, rlang, stats, tools, utils

ByteCompile true

URL <https://yulab-smu.top/>

License Artistic-2.0

Encoding UTF-8

RoxygenNote 7.2.3

NeedsCompilation no

Author Guangchuang Yu [aut, cre] (<<https://orcid.org/0000-0002-6485-8781>>)

Maintainer Guangchuang Yu <guangchuangyu@gmail.com>

Repository CRAN

Date/Publication 2023-09-20 04:40:02 UTC

R topics documented:

check_pkg	2
combinations	3
CRANpkg	3
exec	4
get_dependencies	4
get_fun_from_pkg	5
Githubpkg	5
install_zip	6
install_zip_gh	6
is.installed	7
ls2df	8
mat2df	8
mat2list	9
mypkg	9

o	10
packageTitle	10
pload	11
rbindlist	12
read.cb	12
scale_range	13
scihub_dl	13
show_in_excel	14
str_starts	14
str_wrap	15
yread_tsv	15

Index	17
--------------	-----------

check_pkg	<i>check_pkg</i>
-----------	------------------

Description

Check whether the input packages are installed

Usage

```
check_pkg(pkg, reason = NULL, ...)
```

Arguments

pkg	package names
reason	the reason to check the pkg. If NULL, it will set the reason to the parent call.
...	additional parameters that passed to <code>rlang::check_installed()</code>

Details

This function check whether the input packages are installed. If not, it asks the user whether to install the missing packages.

Value

see also [check_installed](#)

Author(s)

Guangchuang Yu

combinations	<i>combinations</i>
--------------	---------------------

Description

all possible combinations of n sets

Usage

```
combinations(n)
```

Arguments

n number of sets

Value

a list of all combinations

CRANpkg	<i>print md text of package with link to homepage (CRAN or Bioconductor)</i>
---------	--

Description

print md text of package with link to homepage (CRAN or Bioconductor)

Usage

```
CRANpkg(pkg)
```

```
Biocpkg(pkg)
```

Arguments

pkg package name

Value

md text string

Author(s)

Guangchuang Yu

exec *exec*

Description

run system command

Usage

exec(command)

Arguments

command system command to run

Value

An exec instance that stores system command outputs

Author(s)

Guangchuang Yu

get_dependencies *get_dependencies*

Description

get reverse dependencies

Usage

get_dependencies(pkg, repo = c("CRAN", "BioC"))

Arguments

pkg package name
repo 'CRAN' and/or 'BioC'

Value

reverse dependencies

Author(s)

Guangchuang Yu

get_fun_from_pkg *get_fun_from_pkg*

Description

load function from package

Usage

`get_fun_from_pkg(pkg, fun)`

Arguments

<code>pkg</code>	package
<code>fun</code>	function

Value

function

Author(s)

Guangchuang Yu

Examples

`get_fun_from_pkg('utils', 'zip')`

Githubpkg *Githubpkg*

Description

print md text of package with link to github repo

Usage

`Githubpkg(user, pkg)`

Arguments

<code>user</code>	github user
<code>pkg</code>	package name

Value

md text string

Author(s)

Guangchuang Yu

install_zip

install_zip

Description

install R package from zip file of source codes

Usage

```
install_zip(file, args = "--no-build-vignettes")
```

Arguments

file	zip file
args	argument to build package

Value

No return value, called for install R package from zip file of source codes

Author(s)

Guangchuang Yu

install_zip_gh

install_zip_gh

Description

install github package

Usage

```
install_zip_gh(repo, ref = "master", args = "--no-build-vignettes")
```

Arguments

repo github repo
ref github branch, default is master
args argument to build package

Details

it download the zip file first and use `install_zip` to install it

Value

No return value, called for installing github package

Author(s)

Guangchuang Yu

`is.installed` *is.installed*

Description

Check whether the input packages are installed

Usage

```
is.installed(packages)
```

Arguments

packages package names

Details

This function check whether the input packages are installed

Value

logical vector

Author(s)

Guangchuang Yu

Examples

```
is.installed(c("dplyr", "ggplot2"))
```

ls2df	<i>Convert a list of vector (e.g, gene IDs) to a data.frame object</i>
-------	--

Description

Convert a list of vector to a data.frame object.

Usage

```
ls2df(inputList)
```

Arguments

inputList A list of vector

Value

a data.frame object.

mat2df	<i>mat2df</i>
--------	---------------

Description

convert a matrix to a tidy data frame (from wide to long format as described in the tidyverse concept)

Usage

```
mat2df(x)
```

Arguments

x the input matrix

Value

a data.frame in long format with the 'value' column stores the original values and 'row' and 'col' columns stored in row and column index as in x

Author(s)

Guangchuang Yu

Examples

```
x <- matrix(1:15, nrow = 3)
mat2df(x)
```

mat2list	<i>mat2list</i>
----------	-----------------

Description

convert a matrix to a list

Usage

```
mat2list(x)
```

Arguments

x the input matrix

Value

a list that contains matrix columns as its elements

Examples

```
x <- matrix(1:15, nrow = 3)
mat2list(x)
```

mypkg	<i>mypkg</i>
-------	--------------

Description

print md text of link to a package

Usage

```
mypkg(pkg, url)
```

Arguments

pkg package name
url package url

Value

md text string

Author(s)

Guangchuang Yu

Value

reverse dependencies

Author(s)

Guangchuang Yu

pload *pload*

Description

loading a package

Usage

```
pload(package, action = "auto")
```

Arguments

package	package name
action	function used to install package. If 'action = "auto"', it will try to use 'Bioc-Manager::install()' if it is available.

Details

The function use 'library()' to load the package. If the package is not installed, the function will try to install it before loading it.

Value

the selected package loaded to the R session

Author(s)

Guangchuang Yu

rbindlist

rbindlist

Description

rbind a list

Usage

rbindlist(x)

Arguments

x a list that have similar elements that can be rbind to a data.frame

Value

data.frame

Author(s)Guangchuang Yu

read.cb

read.cb

Description

read clipboard

Usage

read.cb(reader = read.table, ...)

Arguments

reader function to read the clipboard

... parameters for the reader

Value

clipboard content, output type depends on the output of the reader

Author(s)

Guangchuang Yu

scale_range	<i>scale-range</i>
-------------	--------------------

Description

normalized data by range

Usage

```
scale_range(data)
```

Arguments

data the input data.

Value

normalized data

Author(s)

Guangchuang Yu

scihub_dl	<i>download publication via scihub</i>
-----------	--

Description

using scihub to download publication using doi

Usage

```
scihub_dl(doi, scihub = "sci-hub.tw", download = TRUE)
```

Arguments

doi doi
scihub scihub website
download whether download the pdf file

Value

pdf url

Author(s)

Guangchuang Yu

show_in_excel	<i>show_in_excel</i>
---------------	----------------------

Description

Open data frame in Excel. It can be used in pipe.

Usage

```
show_in_excel(.data)
```

Arguments

.data a data frame to be open

Value

original .data

Author(s)

Guangchuang Yu

str_starts	<i>str_starts</i>
------------	-------------------

Description

Detect the presence or absence of a pattern at the beginning or end of a string or string vector.

Usage

```
str_starts(string, pattern, negate = FALSE)
```

```
str_ends(string, pattern, negate = FALSE)
```

Arguments

string input string
pattern pattern with which the string starts or ends
negate if TRUE, return non-matching elements

Value

a logical vector

Author(s)

Guangchuang Yu

str_wrap *str_wrap*

Description

wrapping long string to multiple lines

Usage

```
str_wrap(string, width = getOption("width"))
```

Arguments

string input string
width the maximum number of characters before wrapping to a new line

Value

update strings with new line character inserted

Author(s)

Guangchuang Yu and Erqiang Hu

yread_tsv *yread*

Description

read file with caching

Usage

```
yread_tsv(  
  file,  
  reader = utils::read.delim,  
  params = list(),  
  cache_dir = tempdir()  
)  
  
yread(file, reader = readLines, params = list(), cache_dir = tempdir())
```

Arguments

file	a file or url
reader	a function to read the 'file_url'
params	a list of parameters that passed to the 'reader'
cache_dir	a folder to store cache files

Details

This function read a file (local or url) and cache the content.

Value

the output of using the 'reader' to read the 'file_url' with parameters specified by the 'params'

Author(s)

Yonghe Xia and Guangchuang Yu

Index

Biocpkg (CRANpkg), 3

check_installed, 2

check_pkg, 2

combinations, 3

CRANpkg, 3

exec, 4

get_dependencies, 4

get_fun_from_pkg, 5

Githubpkg, 5

install_zip, 6

install_zip_gh, 6

is_installed, 7

ls2df, 8

mat2df, 8

mat2list, 9

mypkg, 9

o, 10

packageTitle, 10

pload, 11

rbindlist, 12

read.cb, 12

scale_range, 13

scihub_dl, 13

show_in_excel, 14

str_ends (str_starts), 14

str_starts, 14

str_wrap, 15

yread (yread_tsv), 15

yread_tsv, 15